

Dependent Resurvey of the S. Bdy. of T. 24 S., R. 3 W.

CHAINS

- 12.10 A spur, slopes S.85°W'; asc. 672 ft. over broken SW. slope.
 - 19.60 A spring branch, 3 lks. wide, course S.10°E.
 - 21.60 A spring branch, 2 lks. wide, course S.
 - 26.25 A spring branch, 2 lks. wide, course S.10°W.
 - 40.06 Point for original $\frac{1}{4}$ sec. cor., determined at record measurements from both old bearing trees.
- At point for corner,
- Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

$\frac{1}{4}$ S36
S1
1944

from which

A fir, 42 ins. diam., bears N.46°W., 14 lks. dist., with no marks remaining on charred face of old bark blaze. I re-blaze and re-mark this old bearing tree $\frac{1}{4}$ S 36 B T.

A fir stub, 36 ins. diam., bears S.37 $\frac{1}{2}$ °E, 44 lks. dist., mkd. $\frac{1}{4}$ S B T. (Old B.T.)

A fir, 46 ins. diam., bears S.81°W., 52 lks. dist., mkd. $\frac{1}{4}$ S 1 B T. (New B.T.)

Thence

N. 89° 27' E., with new measurement.

Asc. 186 ft. over SW. slope.

- 5.60 The magnetic declination is 37°E. at this point.
- 8.00 A trail and telephone line, bears N. and S.20°E.
- 9.80 A ridge, at N. side of saddle, bears N.20°W. and S.20°E.; desc. 131 ft. over NE. slope changing to SE. slope.
- 17.90 A branch, 1 lk. wide, course SE.; asc. 4 ft. over SE. slope.
- 19.40 A spur, slopes S.; desc. 246 ft. over broken E. slope.
- 29.60 A spring branch, 2 lks. wide, course SE.
- 31.40 A branch, 2 lks. wide, course SE.; asc. 14 ft. over SW. slope.
- 32.70 A spur, slopes S.; desc. 53 ft. over SE. slope.
- 34.60 A ravine, course S.; asc. 33 ft. over SW. slope.
- 39.00 A spur, slopes S.; desc. 50 ft. over SE. slope.
- 40.64 The cor. of Tps. 24 and 25 S., Rs. 2 and 3 W., heretofore described.

Land, mountainous.
Soil, sandy loam and rocky clay; 2d and 3d rate.
Timber, fir, hemlock, cedar, yew, maple, alder, madrona, chinquapin, dogwood, and oak; undergrowth, vinemaple, rhododendron, salal, arrowwood, and poison oak.