


Dependent Resurvey of the Sub, of T. 25 S., R. 3 W.

CHAINS	
	broken SE. slope.
62.75	A spring branch, 2 lks. wide, course SE.; asc. 223 ft. over broken SE, slope,
83.73	The cor. of secs. 26, 27, 34, and 35.  Land, mountainous. Soil, sandy loam and rocky clay; 2d and 3d rate. Timber, fir, hemlock, pine, cedar, yew, alder, maple, chinquapin, madrona, and dogwood. Undergrowth, vinemaple, willow, arrowwood, lilac, bracken, salal, hazel, and poison oak.
	N. 1° 11' E., bet. secs. 26 and 27.  Asc. 129 ft. over SE. slope, through heavy timber and dense undergrowth.
13.80	A spur, slopes E.; desc. 233 ft. over NE. slope, changing to N. slope.
23.10	A branch, 20 lks. wide, course S.80°E.; asc. 21 ft. over SE. slope.
24.00	A spur, slopes S.75°E.; desc. 10 ft. over NE. slope.
24.30	A branch, 4 lks. wide, course S.70°E.; asc. 269 ft. over broken SE. slope.
31.00	A spring branch, 2 lks. wide, course SE.
43.60	Point for original $\frac{1}{4}$ sec. cor., determined at the record bearing and distance from the original SE. bearing tree.  At point for corner,  Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.
	
	from which
	A hemlock, 20 ins. diam., bears S.85°E., 68 lks. dist., on which I uncovered the scribe marks B T beneath 60 years overgrowth. (Old B.T.)
	A fir, 50 ins. diam., bears South, 54 lks. dist., mkd. $\frac{1}{4}$ S 26 B T. (New B.T.)
	A fir, 50 ins. diam., bears S.60 $\frac{1}{2}$ °W., 159 lks. dist., mkd. $\frac{1}{4}$ S 27 B T. (New B.T.)
	Thence
	N. 0° 37' E., with new measurement.  Asc. 150 ft. over SE. slope.
7.00	A spur, slopes SE.; desc. 68 ft. over NE. slope.
24.80	A branch, 5 lks. wide, course S.80°E.; asc. 105 ft. over SE. slope.
44.98	Point for original cor. of secs. 22, 23, 26, and 27,