

Dependent Resurvey of the Sub. of T. 25 S., R. 3 W.

CHAINS

Desc. 591 ft. over SW. slope, changing to broken W. slope, through heavy timber and dense undergrowth.

12.80 A graded and graveled logging road, bears N.10°E. and S.10°W.

15.60 A branch, 1 lk. wide, course SW.

26.40 A branch, 2 lks. wide, course SW.

34.38 Proportional measurement.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S2}{S11} \\ 1944$$

from which

A red cedar, 14 ins. diam., bears N.80 $\frac{1}{2}$ °E., 92 lks. dist., mkd.  $\frac{1}{4}$  S 2 B T.

A red cedar, 48 ins. diam., bears S.80 $\frac{1}{2}$ °W., 48 lks. dist., mkd.  $\frac{1}{4}$  S 11 B T.

Asc. 60 ft. along broken SW. slope to spur.

41.70 A spring branch, 2 lks. wide, course SW.

61.00 A spur, slopes W.; desc. 299 ft. over NW. slope.

68.76 The cor. of secs. 2, 3, 10, and 11.

Land, mountainous.

Soil, sandy loam and rocky clay; 2d and 3d rate.

Timber, fir, hemlock, cedar, yew, alder, maple, madrona, chinquapin, oak, pine, and dogwood.

Undergrowth, vinemaple, rhododendron, manzanita, bracken, slickleaf, salal, hazel, willow, arrowwood, salmonberry, huckleberry, and syringa.

From the cor. of secs. 2, 3, 34, and 35, on the N. bdy. of the Tp., heretofore described.

S. 9° 28' E., bet. secs. 2 and 3.

Desc. 21 ft. over SW. slope, through heavy timber and dense undergrowth.

3.30 Head of ravine, course W.; asc. 29 ft. over NW. slope.

8.80 A spur, slopes S.15°W.; desc. 234 ft. over broken SE. slope.

19.80 A spring branch, 2 lks. wide, course SE.

24.65 Proportional measurement.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\frac{1}{4} \\ S3 | S2 \\ 1944$$