

Dependent Resurvey of the Sub. of T. 25 S., R. 3 W.

CHAINS

A fir, 40 ins. diam., bears S.68°E., 24 lks. dist.,
mkd. on bark T 25 R 3 S 21 B T. (Old B.T.)

A hemlock, 16 ins. diam., bears S.29¼°W., 18 lks.
dist., with blaze healed. (Old B.T.)

A red cedar, 28 ins. diam., bears N.74°W.; 11 lks.
dist., with blaze healed. I re-blaze and re-mark
this old bearing tree T 25 S R 3 W S 17 B T.

A fir, 54 ins. diam., bears N.74°E., 57 lks. dist.,
mkd. T 25 S R 3 W S 16 B T. (New B.T.)

A yew, 6 ins. diam., bears S15½°E., 33 lks. dist.,
mkd. T 25 S R 3 W S 21 B T. (New B.T.)

This sec. cor. is located on top of a ridge, bears NW.
and SE.

Land, mountainous.

Soil, sandy loam and rocky clay; 2d and 3d rate.

Timber, fir, hemlock, cedar, maple, chinquapin, madrona,
alder, yew, pine, and dogwood.

Undergrowth, vinemaple, willow, arrowwood, hazel, bracken,
manzanita, slickleaf, salal, salmonberry, and lilac.

From the cor. of secs. 15, 16, 21, and 22

N. 89° 55' W., bet. secs. 16 and 21.

Desc. 141 ft. over NW. slope, through heavy timber and
dense undergrowth in partially logged area.

5.90 A branch, 2 lks. wide, course N.; asc. 45 ft. over
broken NE. slope.

10.20 A spring branch, 2 lks. wide, course N.

11.70 A spring branch, 1 lk. wide, course NE.

14.40 A spur, slopes N.; desc. 197 ft. over NW. slope.

26.70 A branch, 2 lks. wide, course N.; leave heavy timber,
bears N. and S.; thence over rolling N. slope, through
scattering timber in logged and burned area.

31.90 A branch, 10 lks. wide, course N.

34.70 A branch, 10 lks. wide, course N.

43.43 Proportional measurement.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the
ground, for ¼ sec. cor., with brass cap mkd.

$$\frac{1}{4} \frac{S16}{S21}$$

1943

from which

A fir, 32 ins. diam., bears N.70°E., 153 lks.
dist., mkd. ¼ S 16 B T.

A fir, 38 ins. diam., bears S.16°E., 584 lks.
dist., mkd. ¼ S 21 B T.

44.20 A branch, 8 lks. wide, course N.; asc. 139 ft. over
broken NE. slope.