

Retracement Subdivisions, T. 30 S., R. 7 W.

CHAINS
39.67

Fall 17 lks. N. of the point for the old $\frac{1}{4}$ sec. cor., located by reference to the bearing trees. The SE. tree has fallen. At the exact corner point

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for $\frac{1}{4}$ sec. cor., with brass cap mkd.

S 28
+ S 33
1918

from which

A yellow pine, 30 ins. diam., bears S. 2° W., 66 lks. dist., mkd. $\frac{1}{4}$ S 33 BT. (New B. T.)

A cedar, 48 ins. diam., bears N. 83° W., 68 lks. dist., mkd. $\frac{1}{4}$ S 28 BT. (Old B. T.)

The true course and length of this line is S. 89°45' W., 39.67 chs.

I continue my retracement West from the $\frac{1}{4}$ sec. cor., counting distance from the sec. cor.

42.15 Top of spur, slopes S.; descend.

55.85 Trail, bears N. 80° E. and S. 80° W.

55.95 Ravine, course S.; ascend SE. slope.

72.55 Trail, bears NW. and SE.

79.74 Fall 37 lks. N. of the old cor. of secs. 28, 29, 32 and 33, located by reference to the bearing trees. The NW. tree has fallen. At the exact corner point

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 28, 29, 32 and 33, with brass cap mkd.

T 30 S	R 7 W
S 29	S 28
S 32	S 33
1918	

from which

A fir, 18 ins. diam., bears N. 59° E., 58 lks. dist., mkd. T 30 S R 7 W S 28 BT. (Old B. T.)

A fir, 30 ins. diam., bears S. 80° E., 24 lks. dist., mkd. T 30 S R 7 W S 33 BT. (Old B. T.)

A madrona, 20 ins. diam., bears S. 62° W., 45 lks. dist., mkd. T 30 S R 7 W S 32 BT. (Old B. T.)

A fir, 30 ins. diam., bears N. 7° W., 58 lks. dist., mkd. T 30 S R 7 W S 29 BT. (New B. T.)

The true course and length of this line from the $\frac{1}{4}$ sec. cor. is S. 89°28' W., 40.07 chs.

Land, mountainous.

Soil, red clay loam, 2nd rate.

Timber, heavy fir, yellow pine and madrona.

Undergrowth, arrowwood, madrona and fir.

West, retracing the line bet. secs. 29 and 32.

Ascend SE. slope, through heavy timber.