

Retracement Portion Subdivisions, T. 31 S., R. 7 W.

CHAINS

Land, mountainous.  
Soil, sandy clay loam on slopes; gravel and sand in creek bottom;  
2nd and 3rd rate.  
Timber, fir, yellow pine, white oak and black oak.  
Undergrowth, fir, willow and chaparral.

S. 89°51' W., retracing line bet. secs. 5 and 8.

Ascend E. slope, through heavy timber and dense undergrowth.

3.85 Top of spur, slopes SE.; ascend along S. slope.

17.35 Top of rock point, slopes S.; descend.

20.25 Ravine, course S.; ascend.

28.60 Top of spur, slopes SE.; descend.

31.85 Ravine, course S.

36.00 Top of spur, slopes S.; descend W. slope.

39.89 Fall 9 lks. N. of the point for old  $\frac{1}{4}$  sec. cor., located by reference to the bearing trees. At the exact corner point

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  sec. cor., with brass cap mkd.

$$\begin{array}{r} S \ 5 \\ \frac{1}{4} S \ 8 \\ \hline 1918 \end{array}$$

from which

A black oak, 18 ins. diam., bears N. 22° E., 51 lks. dist., mkd.  $\frac{1}{4}$  S 5 BT. (Old B. T.)

A black oak, 15 ins. diam., bears S. 31° E., 45 lks. dist., mkd.  $\frac{1}{4}$  S 8 BT. (Old B. T.)

The true course and length of this line is S. 89°43' W., 39.89 chs.

I continue my retracement S. 89°51' W. from the  $\frac{1}{4}$  sec. cor., counting distance from the sec. cor.

55.10 Creek, 2 lks. wide, course S. 15° W.; ascend.

57.35 Top of spur, slopes S.; descend.

57.95 Wire fence, bears NW. and SE.

58.70 Ravine, course SE.; ascend.

61.45 Top of spur, slopes S.; trail along top; descend.

68.40 Enter clearing, bears N. and S.

69.15 Table Creek, 15 lks. wide, course S.; road along creek.

73.40 Wire fence, bears N. and S.; enter timber and undergrowth. Ascend steep E. slope.

77.82 Fall 132 lks. N. of the point for cor. of secs. 5, 6, 7 and 8, located by reference to the bearing trees. At the exact corner point

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5, 6, 7 and 8, with brass cap mkd.