

Dependent Resurvey of Portion of S. Bdy. of T. 20 S., R. 10 W.

CHAINS

There is no trace of the old bearing trees.

The old iron post is rusted nearly through; in its place,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap marked

$\frac{1}{4}$ S 36
1951

*FD. 10/10/84
By R. STANTNER
M 97.80*

from which

A cedar, 40 ins. diam., bears N. $57\frac{1}{2}^\circ$ E., 94 lks. dist., marked $\frac{1}{4}$ S 36 BT.

A hemlock, 36 ins. diam., bears N. 30° W., 32 lks. dist., marked $\frac{1}{4}$ S 36 BT.

Deposit the old iron post at the base of the new iron post.

S. $89^\circ 30'$ W., beginning new measurement.

Ascend 25 ft. over NE. slope.

1.15 The $\frac{1}{4}$ sec. cor. of sec. 1, T. 21 S., R. 10 W., monumented with an iron post, 1 in. diam., 6 ins. above ground, firmly set, with brass cap marked

$\frac{1}{4}$ S 1
1919

from which the 1919 bearing trees

A dead fir, 50 ins. diam., bears S. 74° E., 29 lks. dist., with traces of scribe marks remaining on blaze in bark. (Record description, S. 73° E., 27 lks. dist.)

A hemlock, 14 ins. diam., bears S. $37\frac{1}{2}^\circ$ W., 44 lks. dist., with old blaze healed. (Record bearing, S. 36° W.)

The old iron post is rusted nearly through; in its place,

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap marked

$\frac{1}{4}$ S 1
1951

from which a new bearing tree

A hemlock, 12 ins. diam., bears S. $33\frac{1}{2}^\circ$ E., 61 lks. dist., marked $\frac{1}{4}$ S 1 BT.

Deposit the old iron post at the base of the new iron post.

N. $89^\circ 39'$ W., beginning new measurement.

Ascend 2 ft. over NE. slope.

0.85 A spur, slopes N.; desc. 138 ft. over NW. slope.

6.20 Foot of NW. slope; desc. 12 ft. along N. slope near S. side of Little Wasson Creek.

9.00 Little Wasson Creek, 9 lks. wide, course N. 80° E., on bend to East; asc. 381 ft. over SE. slope, changing to S. slope.

21.30 A clump of small myrtle trees.

38.00 A spur ridge, bears N. 80° E. and W.; desc. 14 ft. along spur ridge.