

Survey No. 883

CHAINS- Feet	ELSIE LODE
	Beginning at Cor. No. 1 of the Elsie lode, which is identical with Cor. No. 1 of the J C lode of this survey.
	Thence S. 24°09' E.
	Ascend northerly slope.
300.00	Lode line; discovery point bears S. 67°06' W., 20 ft. dist.
431.92	Intersect line 4-1 of the Bonanza lode of this survey.
600.00	Cor. No. 2, which is identical with Cor. No. 4 of the J C lode of this survey.
	Thence S. 67°06' W.
	Along northwesterly slope.
20.71	Intersect line 1-2, Maud S. No. 1 lode of this survey.
516.11	Intersect line 4-1, Maud S No. 1 lode of this survey.
719.20	Cor. No. 4, Bonanza lode of this survey.
	Descend northwesterly slope.
1360.00	Stanley Creek, 2 ft. wide, flows N. 20° E.; ascend southeasterly slope.
1483.70	Cor. No. 3.
	Set a basalt boulder, 24 x 8 x 6 ins., 18 ins. in the ground, surrounded by a mound of stone to top, for Cor. No. 3, mkd. E-3-Q-4-883; from which
	A maple, 14 ins. diam., bears N. 56°00' E., 19.6 ft. dist., mkd. E-3-Q-4-883 BT.
	A hemlock, 24 ins. diam., bears N. 14°00' E., 42.3 ft. dist., mkd. E-3-Q-4-883 BT.
	Thence N. 24°09' W.
	Ascend southeasterly slope.
300.00	Lode line; discovery point bears N. 67°06' E., 1463.70 ft. dist.
515.00	Top of ridge, course N. 65° E. and S. 65° W.; descend northwesterly slope.
600.00	Cor. No. 4.
	Set a tan oak post, 66 ins. long, 4 ins. sq., 24 ins. in the ground, and in a mound of earth, for Cor. No. 4, mkd. E-4-Q-3-883; from which
	A fir, 38 ins. diam., bears N. 86°00' W., 19.0 ft. dist., mkd. E-4-Q-3-883 BT.
	A hemlock, 24 ins. diam., bears S. 2°10' E., 13.2 ft. dist., mkd. E-4-Q-3-883 BT.
	Thence N. 67°06' E.
	Along northwesterly slope.
280.00	Spur of ridge, slopes N. 10° E.; descend southeasterly slope.
780.00	Stanley Creek, 2 ft. wide, flows N. 20° E.; ascend along northwesterly slope.