

# 11994 County Surveyor's Record, Douglas County, Oregon

2

HOMESTEAD ENTRY SURVEY NO. 130  
SIUSLAW NATIONAL FOREST  
OREGON

CHAINS

(Note:- In cutting in to this corner tree and bearing trees in order to read the markings I spoil the readings somewhat, so re-mark the corner as follows:)

A fir tree, 26 ins. diam., (orig.) marked  $\frac{1}{4}$  S 6 on the S. face; from which

A fir, 24 ins. diam., bears S. 10°00' E., 93 lks. dist. (orig.)  
(This tree is partially destroyed, marking left on the tree.)

A fir, 8 ins. diam., bears S. 26°10' E., 55 lks. dist. (new), marked  $\frac{1}{4}$  S 6 BT.

Thence I run

S. 82°47' W. (recorded bearing), retracing the N. bdy. of sec. 6.

30.97 I make diligent search for closing cor. of T. 21 S., Rs. 10 and 11 W., but fail to find any trace of it.

38.31 Fall 386 lks. S. 7°13' E. of point for cor. of T. 22 S., Rs. 10 and 11 W. After diligent search I am unable to find any trace of the stone reported set for this cor. The point for this cor. falls on a very steep NE. slope, covered with fern, brake and undergrowth. The soil is very deep and loose, and of a sliding nature. I presume the stone set for this cor. has either slid into the ravine or is covered up beneath the surface of the ground. I make a careful search for the stone, clearing off the undergrowth and digging into the earth. I find a maple tree, 9 ins. diam. (dead and in a leaning position), which has a long axe blaze, the center of which is about 3 ft. from the ground. I am unable to make out any scribe marks, the inside of the blaze being decayed. I set a temporary stake S. 30°00' W., 7 lks. dist. from the tree (if standing erect); from which

A cedar stump (lying on the ground in a bad state of decay) would bear S. 2°00' W., 50 lks. dist., if standing erect.

An alder, 20 ins. diam., bears S. 24°00' W., 118 lks. dist. This tree has a long axe blaze facing the temporary stake; the inside of the blaze is so decayed I am unable to make out any scribe marks.

(Note:- I make diligent search N., S., E. and W. of this point for a distance of a number of chains in search of further evidence, but find none. As the general description and the topography along the line so closely agrees with the original field notes, and as this point is what has been recognized by the settlers for years as the township cor., I re-establish it as follows:)

Set a sandstone, 26 x 10 x 8 ins., 20 ins. in the ground, for cor. of T. 22 S., Rs. 10 and 11 W., marked with 6 notches on E., W., and S. edges; from which

A cedar, 22 ins. diam., bears S. 88°15' E., 58 lks. dist., marked T 22 S R 10 W S 6 BT.

A fir, 6 ins. diam., bears S. 26°25' W., 29 lks. dist., marked T 22 S R 11 W S 1 BT.

(Original bearing trees left as found.)

(The true course of this line is N. 88°32' E., 38.50 chs.)

July 20, 1914.

July 21, 1914: From the cor. of T. 22 S., Rs. 10 and 11 W., heretofore described, I run