

Dependent Resurvey of Line Bet. Secs. 16 and 21, T. 23 S., R. 7 W.

CHAINS

A double black oak, 45 ins. diam., bears N.  $82\frac{1}{4}^{\circ}$  W., 458 lks. dist., marked  $\frac{1}{4}$  S16 BT.

The  $\frac{1}{4}$  sec. cor. is located in densely growing Scotch broom, in all area which was open grassland at the time of the original survey. Reset the oak post and an unmarked country stone, 10x10x6 ins., alongside the iron post.

---

Also from the true point for the cor. of secs. 15, 16, 21 and 22, the  $\frac{1}{4}$  sec. cor. of secs. 15 and 22, bears S.  $89^{\circ} 09'$  E., 40.92 chs. dist., marked by the outline of the bottom of the original post in hard clay soil, containing wood fiber, 4 ins. square, from which the original bearing trees, which agree with the record:

A stumphole, bears N.  $60^{\circ}$  W., 18 lks. dist., containing rotted wood.

A white fir, 32 ins. diam., bears S.  $35^{\circ}$  E., 40 lks. dist., plainly blazed and healed; I do not open.

At the corner point

Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap marked

T23S R7W  
 $\frac{1}{4}$  S 15  
           S 22

1957

from which a new bearing tree:

A Douglas fir, 38 ins. diam., bears N.  $73^{\circ}$  W., 40 lks. dist., marked  $\frac{1}{4}$  S 15 BT.

---

Also from the true point for cor. of secs. 15, 16, 21 and 22, the meander cor. of secs. 21 and 22, bears S.  $3^{\circ} 01'$  E., 38.46 chs. dist., determined at the record bearing and distance from the remaining original bearing tree:

A sawed fir stump, 20 ins. diam., bears S.  $89^{\circ}$  W., 39 lks. dist., marked FS21 on partly healed upper blaze; the BT blaze is healed.

At the corner point

Set an iron post, 30 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap marked

M C  
 S 21 | S 22  
 T23S | R7W

1957

From which new bearing trees:

A fir, 8 ins. diam., bears S.  $27\frac{1}{2}^{\circ}$  E.,  $58\frac{1}{2}$  lks. dist., marked T23S R7W S22 MC BT.

A fir, 6 ins. diam., bears N.  $63\frac{1}{4}^{\circ}$  W.,  $45\frac{1}{2}$  lks. dist., marked T23S R7W S21 MC BT.

A madrona, 18 ins. diam., bears S.  $4\frac{3}{4}^{\circ}$  W., 274 lks. dist.,