

## Dependent Resurvey, Portion of Subdivisional Lines, T. 24 S., R. 4 W.

CHAINS

Set an iron post, 30 ins. long, 2 ins. diam., 16 ins. in the ground, to solid rock, and in a mound of stone, 2 ft. base, to top, with brass cap marked

T24S R4W

$$\begin{array}{c} \uparrow \\ \text{S } 2 \mid \text{S } 1 \\ \downarrow \end{array}$$

1957

from which

A fir, 26 ins. diam., bears N.  $42^{\circ}$  E.,  $14\frac{1}{2}$  lks. dist., marked  $\frac{1}{4}$  S1 BT.

A fir, 7 ins. diam., bears S.  $47^{\circ}$  W., 50 lks. dist., marked  $\frac{1}{4}$  S 2 BT.

Descend 125 ft. over steep N. slope changing to NW. slope.

32.55 Branch, 6 lks. wide, course S.  $50^{\circ}$  W.; ascend 167 ft. over SE. slope.

36.76 Spur, slopes S.  $70^{\circ}$  W.; also abandoned trail and telephone line, bears N.  $70^{\circ}$  W. and S.  $70^{\circ}$  E.; ascend 118 ft. along W. slope.

43.00 Trail, bears N.  $70^{\circ}$  W. and S.  $70^{\circ}$  E.

45.75 Spur ridge, bears E. and W.; descend 54 ft. over NW. slope.

53.60 Ravine, drains SW.; ascend 61 ft. over S. slope.

57.04 The cor. of secs. 1, 2, 35 and 36, monumented with a basalt stone, 12x8x8 ins., firmly set 8 ins. in the ground, in a mound of stone, 3 ft. base, to top, marked with 5 notches on W. and 1 notch on E. edge, from which the original bearing trees:

A chinquapin stump, 25 ins. diam., bears N.  $8^{\circ}$  E., 46 lks. dist., with no scribe marks visible on rotten blaze. (Record distance, 49 lks.)

A fir snag, 27 ins. diam., bears S.  $58^{\circ}$  E., 73 lks. dist., marked T24S R4W S on opened blaze.

A fir, 26 ins. diam., bears S.  $28^{\circ}$  W., 73 lks. dist., marked with a healed blaze.

A cedar, 45 ins. diam., bears N.  $83^{\circ}$  W., 59 lks. dist., marked W S3 on partly opened blaze.

At the corner point

Set an iron post, 30 ins. long, 2 ins. diam., 24 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap marked

T23S R4W

$$\begin{array}{c} \text{S } 35 \mid \text{S } 36 \\ \text{S } 2 \mid \text{S } 1 \end{array}$$

T24S

1957

from which

A white fir, 7 ins. diam., bears N.  $46^{\circ}$  E., 47 lks. dist., marked T23S R4W S36 BT.

A cedar, 14 ins. diam., bears S.  $48\frac{1}{2}^{\circ}$  E., 75 lks. dist., marked T24S R4W S1 BT.

Deposit the basalt stone alongside the iron post.