


Dependent Resurvey of Line bet. secs. 7 and 18, T. 25 S., R. 1 W.

CHAINS

Set an iron post, 36 ins. long, 2 ins. diam., 27 ins. in the ground, with brass cap marked




Ascend 140 ft. over S. slope.

125.75 Spring branch, 2 lks. wide, course SE.; ascend 93 ft. over SE. slope.

130.00 Spur, slopes S.; descend 7 ft. along S. slope.

131.33 Point for the closing cor. of secs. 7 and 18 on W. bdy. of Tp., at proportionate distance; there is no remaining evidence of the original closing corner.

Set an iron post, 36 ins. long, 2 ins. diam., 28 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap marked




from which

A fir, 15 ins. diam., bears N. 81° E., 24 lks. dist., marked T25S R1W S7 CC BT.

A fir, 9 ins. diam., bears S. 23° E., 50½ lks. dist., marked T25S R1W S18 CC BT.

From this point the ¼ sec. cor. of sec. 12 only, on the E. bdy. of T. 25 S., R. 2 W., bears N. 0° 13' W., 6.955 chs. dist., remonumented by Price and Tallet, in 1951, with an iron post, 1 in. diam., 8 ins. above ground, firmly set, with brass cap marked



from which

An incense cedar, 6 ins. diam., bears N. 20° W., 49 lks. dist., marked ¼ S12 BT.

A fir, 10 ins. diam., bears S. 7° W., 20 lks. dist., marked ¼ S12 BT.

From the same point the cor. of secs. 25 and 36, on the E. bdy. of T. 25 S., R. 2 W., bears S. 0° 13' E., 277.75 chs. dist., marked by a hemlock, 13 ins. diam., marked and witnessed as described in the official record.

Land, mountainous. Soil, gravelly clay and loam with rock outcrops in W. half. Timber, fir, incense and red cedar, hemlock, sugar pine, alder, white fir, maple, yew, madrona, dogwood, and chinquapin. Undergrowth, salal, vine maple, rhododendron, arrowwood, Oregon grape, huckleberry, and blackberry,

Supplemental Data and Ties to Other Monuments

In 1950, V. M. Hosford, a registered land surveyor, executed and recorded a dependent resurvey of the north five miles of the east boundary of township 25 south, range 2 west, during the course of which he restored missing corners by the proper method of single proportionate measurement. Subsequent to the Hosford resurvey, the