

Resurvey of the North Boundary of T. 32 S., R. 9 W.

CHAINS

T31S | R9W  
S 34 | S 35

1917

from which

A fir, 20 ins. diam., bears N. 1° 30' E., 500 lks. dist.,  
T31S R9W S35 BT. (New B. T.)

A fir, 36 ins. diam., bears N. 5° W., 449 lks. dist.,  
marked T32S R9W S34 BT. (New B. T.)

Thence S. 89° 11' W., continuing my measurements.

40.00 Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground,  
for  $\frac{1}{4}$  cor. of sec. 3 only, with brass cap marked

$\frac{1}{4}$  S 3  
1917

from which

A fir, 7 ins. diam., bears S. 87° 30' E., 153 lks. dist.,  
marked  $\frac{1}{4}$  S3 BT.

A fir, 7 ins. diam., bears S. 67° W., 86 lks. dist.,  
marked  $\frac{1}{4}$  S3 BT.

48.20 Top of ridge, bears N. and S.; descend W. slope. Old trail, Camas  
Valley to Rogue River, bears N. and S.

52.30 Enter heavy timber, bears N. and S.

61.16 Intersect the  $\frac{1}{4}$  cor. of sec. 34 only, which is a cedar post, firmly  
set, marked and witnessed as described by the surveyor general.  
I perpetuate this cor., as follows: alongside the old cor.

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground,  
for  $\frac{1}{4}$  cor. of sec. 34, T. 31 S., R. 9 W. only, with brass cap  
marked

$\frac{1}{4}$  S 34  
1917

from which

A fir, 12 ins. diam., bears N. 57° E., 27 lks. dist.,  
marked  $\frac{1}{4}$  S34 BT. (New B. T.)

A fir, 14 ins. diam., bears N. 27° W., 23 lks. dist.,  
marked  $\frac{1}{4}$  S34 BT. (Old B. T.)

Thence N. 89° 44' W., continuing my measurements.

77.85 Intersect the old cor. of secs. 3 and 4, which is a rotten stump of  
a fir tree, 10 ins. diam., marked and witnessed as described by  
the surveyor general, with the exception that both bearing trees  
to the N. are dead and fallen. I change this cor. to an angle  
point and perpetuate it as follows: alongside the stump of the  
old cor. tree

Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground,  
for angle point, with brass cap marked

A P  
1917

from which

A fir, 60 ins. diam., bears N. 61° E., 46 lks. dist.,  
marked AP BT. (New B. T.)

A fir, 24 ins. diam., bears S. 76° W., 25 lks. dist.,  
marked AP BT. (Old B. T.)

Thence N. 89° 50' W., continuing my measurements.

80.00 Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground,