

## County Surveyor's Record, Douglas County, Oregon

9

Resurvey of the North Boundary of T. 32 S., R. 9 W.

CHAINS

- 43.60 Ravine, course N.
- 51.00 Trail, bears NW. and SE.
- 60.75 Top of Serpentine Ridge, bears N. and S.; descend.
- 60.95 Intersect the  $\frac{1}{4}$  sec. cor. of sec. 32 only, which is a basalt stone, 20x14x4 ins., loosely set, marked and witnessed as described by the surveyor general. I perpetuate this cor., as follows: alongside the old cor.
- Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for  $\frac{1}{4}$  cor. of sec. 32, T. 31 S., R. 9 W. only, with brass cap mkd.
- $\frac{1}{4}$  S 32  
1917
- from which
- A fir, 18 ins. diam., bears N. 27° E., 166 lks. dist., marked  $\frac{1}{4}$  S32 BT. (Old B. T.)
- A laurel, 5 ins. diam., bears N. 2° W., 33 lks. dist., marked  $\frac{1}{4}$  S32 BT. (New B. T.)
- Thence N. 88° 45' W., continuing my measurements
- Descend rocky NW. slope, through burn.
- 70.00 Leave burn, bears N. and S.
- 74.70 Intersect point for old cor. of secs. 5 and 6, located by reference to the bearing trees as described by the surveyor general. The NE. bearing tree is defaced by fire, the SE. tree is dead and the NW. tree is dead and fallen. I change this cor. to an angle point and perpetuate it as follows: at the exact cor. point
- Set an iron post, 3 ft. long, 1 in. diam., 26 ins. in the ground, for angle point, with brass cap marked
- AP  
1917
- from which
- A fir, 36 ins. diam., bears S. 45° W., 17 lks. dist., marked AP BT. (Old B. T.)
- A fir, 36 ins. diam., bears N. 11° W., 25 lks. dist., marked AP BT. (New B. T.)
- Thence N. 89° 16' W., continuing my measurements
- 80.03 (80.00 chs. departure)
- Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, for cor. of secs. 5 and 6, with brass cap marked
- S 6 | S 5  
T32S | R9W  
1917
- from which
- A fir, 30 ins. diam., bears S. 64° E., 9 lks. dist., marked T32S R9W S5 BT.
- A fir, 30 ins. diam., bears S. 8° W., 48 lks. dist., marked T32S R9W S6 BT.
- Land, mountainous. Stony clay loam, broken and solid rock, 3rd and 4th rate. Timber, fir, cedar, sugar pine, laurel, yew and hemlock. Undergrowth, rhododendron, live oak, tan oak and vine maple.