

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 28 S., R. 4 W.

CHAINS

- 1.92 Ravine, drains S.; ascend 96 ft. over SE. slope.
- 5.74 Spur, slopes S.; descend 73 ft. over SW. slope changing to S. slope.
- 13.25 Ravine, drains S.; ascend 362 ft. over general E. slope.
- 27.14 Spur, slopes NE.; descend 1 ft. along N. slope.
- 28.40 Ravine, drains NE.; ascend 80 ft. over E. slope.
- 34.59 Ridge, divide bet. Lee Creek drainage and Frozen Creek drainage, bears N. and S.; descend 35 ft. over SW. slope.
- 37.13 Foot of descent, slopes S.; ascend 34 ft. over SE. slope.
- 38.77 The cor. of secs. 20, 21, 28 and 29, perpetuated and recorded by G. G. Stewart, D.C.S., in 1922, at record bearing and distance from the remains of two original bearing trees, monumented with an iron pipe, 2 ins. diam., firmly set, 12 ins. above ground.

from which the original bearing trees:

A fir turnout, 45 ins. diam., bears S. 80° E., 57 lks. dist., no scribe marks visible.

A sawed fir stump, 36 ins. diam., bears S. 24° W., 18 lks. dist. no scribe marks visible.

and bearing trees by Stewart, in 1922:

A rotted fir stump, 36 ins. diam., bears N. 5° E., 70 lks. dist. no scribe marks visible.

A yew, 13 ins. diam., bears S. 47½° E., 108 lks. dist., with scribe marks S28 BT. visible on partially healed blaze.

A sawed fir stump, 36 ins. diam., bears S. 24° W., 18 lks. dist. no scribe marks visible.

A sawed fir stump, 40 ins. diam., bears N. 45° W., 109 lks. dist. no scribe marks visible.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, with brass cap marked

T28S R4W
 S 20 | S 21
 S 29 | S 28
 1958

FO DK 8/74
 M120-03

from which

A fir, 7 ins. diam., bears N. 56¼° E., 22 lks. dist., marked T28S R4W S21 BT.

A fir, 5 ins. diam., bears S. 42° E., 78 lks. dist., marked T28S R4W S28 BT.

A fir, 9 ins. diam., bears S. 31½° W., 58 lks. dist., marked T28S R4W S 29 BT.

A fir, 12 ins. diam., bears N. 25½° W., 45 lks. dist., marked T28S R4W S20 BT.

Reset iron pipe alongside iron post.

Land, mountainous, except for approximately 10 chs. of bottom land along Lee Creek. Soil, clay and sandy loam. Timber, fir, cedar, madrone, hemlock, alder, maple and myrtle; Undergrowth, vinemaple,