

## County Surveyor's Record, Douglas County, Oregon

39

## Dependent Resurvey of Portion of Subdivisional Lines, T25 S., R. 4 W.

CHAINS	<p>Spur, 16.24 / Slopes W.; descend 33 ft. over NW. slope.</p> <p>19.20 True point for S 1/16 sec. cor. of secs. 28 and 29; the corner falls on a down fir in the bottom of a narrow ravine, course N. 70° W. where it is impracticable to establish a permanent monument; Ascend 5 ft. over SW. slope.</p> <p>19.40 Point for witness cor. to the S 1/16 sec. cor. of secs. 28 and 29.</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, with brass cap marked</p> <div style="text-align: center;"> <p>S 1/16 W C ↓ S 29   S 28 ↓ 1957</p> </div> <p>from which.</p> <p>A fir, 11 ins. diam., bears N. 57° E., 18 lks. dist., marked with axe, S BT.</p> <p>A fir, 12 ins. diam., bears N. 57° W., 27 lks. dist., marked with axe, X BT.</p> <p>Descend 21 ft. along W. slope.</p> <p>22.38 Spur, slopes W.; descend 70 ft. over NW. slope.</p> <p>27.25 Ravine, course W.; ascend 99 ft. over SW. slope.</p> <p>31.02 Spur, slopes W.; descend 69 ft. over NW. slope.</p> <p>33.70 Ravine, course W.; ascend 40 ft. over SW. slope.</p> <p>37.35 Spur, slopes W.; descend 21 ft. over NW. slope.</p> <p>38.40 The ¼ sec. cor., of secs. 28 and 29, determined at record distance from the original bearing trees, as follows:</p> <p>A fir, 27 ins. diam., bears N. 5¼° E., 55 lks. dist., with a healed blaze. (Record bearing N. 2° E.)</p> <p>The stump hole of a down fir, 18 ins. diam., bears N. 9½° W., 40 lks. dist.; the fir lies downhill from the stump hole and has scribe marks ¼ S visible on opened blaze. (Record bearing N. 2° W.)</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, with brass cap marked</p> <div style="text-align: center;"> <p>T25S R4W ↓ ¼ ↓ S 29   S 28. ↓ 1957</p> </div> <p>from which</p> <p>A fir, 30 ins. diam., bears N. 78½° E., 45 lks. dist., marked ¼ S28 BT.</p> <p>A fir, 37 ins. diam., bears N. 16½° W., 52 lks. dist., marked ¼ S29 BT.</p> <p>N. 0° 54' W., beginning new measurement.</p>
--------	--