

Dependent Resurvey of a Portion of the East Boundary of T. 20 S., R. 8 W.

CHAINS

A fir snag, 32 ins. diam., bears SW., 20 lks. dist., bark scribed BT $\frac{1}{4}$ S.

There is no official record of this corner.

20.33 Spur ridge, bears N. 80° W. and S. 80° E.; desc. 522 ft. over N. slope.

36.05 South Sister Creek, 20 lks. wide, course W.; asc. 53 ft. over S. slope, changing to SW. slope.

37.78 Truck road, bears N. 70° E. and S. 70° W.

39.24 The cor. of secs. 12 and 13, determined at record distances from the remaining original bearing trees:

A fir, 60 ins. diam., bears S. 80° E., 25 lks. dist., with bark scribed marks BT S T remaining. (Record bearing, S. 85° E.)

A cedar, 60 ins. diam., bears N. 35° W., 12 lks. dist., with no marks visible on decayed blaze. (Record bearing, N. 25° W.) I mark T20S R8W S12 BT in center of tree and below old blaze.

At the corner point

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with brass cap marked

T 20 S		T 20 S
S 12		R 7 W
S 13		S 18
R 8 W		
1954		

from which a new bearing tree

A cedar, 23 ins. diam., bears S. 86 $\frac{3}{4}$ ° W., 91 lks. dist., marked T20S R8W S13 BT. Bearing tree is in a branch, 2 lks. wide, course S.

Land, mountainous. Soil, rocky clay. Timber, fir, hemlock, cedar, maple, alder, chinquapin, dogwood, madrona, and cascara. Undergrowth, vine maple, hazel, huckleberry, slickleaf, arrowwood, and salal.

N. 1° 06' E., along the E. bdy. of sec. 12.

Ascend 210 ft. over SW. slope, through heavy timber and dense undergrowth.

11.67 Top of ascent on W. slope; asc. 258 ft. along W. slope, changing to SE. slope.

20.01 The closing cor. of secs. 7 and 18, T. 20 S., R. 7 W., monumented with a badly decayed cedar post, 3 ins. square, rotted away 6 ins. above ground, from which bearing trees, that do not match the record:

A fir snag, 28 ins. diam., bears N. 54° E., 37 lks. dist., with partial scribe marks visible on old bark blaze. (Record calls for a fir, 24 ins. diam., bearing N. 66° E., 10 lks. dist.)

A fir, 38 ins. diam., bears S. 49 $\frac{1}{2}$ ° E., 44 lks. dist., marked BT S18 T20S R7W in bark. (Record calls for a yew, 7 ins. diam., bearing S. 47° E., 37 lks. dist.)