

County Surveyor's Record, <sup>22</sup>Douglas County, Oregon

Dependent Resurvey of a Portion of the Subdivisional Lines of T. 20 S., R. 8 W.

## CHAINS

A fir, 10 ins. diam., bears S.  $63\frac{1}{2}^{\circ}$  W., 22 lks. dist., marked  $\frac{1}{4}$  S11 BT.

Ascend 14 ft. over SW. slope.

- 38.42 Spur ridge, bears N.  $80^{\circ}$  W. and S.  $80^{\circ}$  E.; desc. 519 ft. over broken N. slope.
- 53.03 North Sister Creek, 12 lks. wide, course W.; asc. 138 ft. over SW. slope.
- 59.37 Top of ascent on W. slope; desc. 34 ft. along W. slope.
- 61.94 Branch, 2 lks. wide, course S.  $20^{\circ}$  W.; asc. 386 ft. over SE. slope.
- 76.20 Point for the cor. of secs. 1, 2, 11, and 12, at proportionate distance; there is no remaining evidence of the original corner.
- Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with brass cap marked

T 20 S R 8 W  
 $\frac{S 2 | S 1}{S 11 | S 12}$   
 1954

from which

A fir, 10 ins. diam., bears N.  $48^{\circ}$  E., 7 lks. dist., marked T20S R8W S1 BT.

A fir, 18 ins. diam., bears S.  $52\frac{1}{2}^{\circ}$  E., 39 lks. dist., marked T20S R8W S12 BT.

A fir, 12 ins. diam., bears S.  $20^{\circ}$  W., 8 lks. dist., marked T20S R8W S11 BT.

A fir, 17 ins. diam., bears N.  $50^{\circ}$  W., 41 lks. dist., marked T20S R8W S2 BT.

Land, mountainous. Soil, rocky clay. Timber, fir, hemlock, maple, cedar, alder, chinquapin, dogwood, madrona, and cascara. Undergrowth, vine maple, hazel, huckleberry, slickleaf, arrowwood, and salal.

From the cor. of secs. 1 and 12, on the E. bdy. of the Tp.

N.  $87^{\circ} 17'$  W., bet. secs. 1 and 12.

Ascend 14 ft. along N. slope, through heavy timber and dense undergrowth.

- 1.14 Top of ascent on N. slope; desc. 291 ft. along broken N. slope.
- 18.90 North Sister Creek, 10 lks. wide, course S.  $75^{\circ}$  W.; desc. 7 ft. along creek.
- 19.90 Leave creek; asc. 145 ft. along broken S. slope.
- 37.73 Top of ascent, slopes S.; desc. 5 ft. along S. slope.
- 39.905 Point for the  $\frac{1}{4}$  sec. cor. of secs. 1 and 12, at proportionate distance; there is no remaining evidence of the original corner.
- Set an iron post, 3 ft. long, 1 in. diam., 12 ins. in the ground, to solid rock, and in a mound of stone, 3 ft. base, 2 ft. high, with brass cap marked