

Dependent Resurvey of a Portion of the Subdivisional Lines of T. 20 S., R. 8 W

CHAINS

from which new bearing trees

A hemlock, 8 ins. diam., bears N. $50\frac{1}{4}^{\circ}$ E., 68 lks. dist.,
marked T20S R8W S9 BT.

A cedar, 31 ins. diam., bears S. $56\frac{1}{4}^{\circ}$ E., 76 lks. dist.,
marked T20S R8W S16 BT.

A fir, 75 ins. diam., bears S. $85\frac{1}{2}^{\circ}$ W., 48 lks. dist., marked
T20S R8W S17 BT.

A cedar, 26 ins. diam., bears N. $8\frac{1}{2}^{\circ}$ W., 29 lks. dist., marked
T20S R8W S8 BT.

Land, mountainous. Soil, rocky clay. Timber, fir, hemlock, maple,
cedar, alder, chinquapin, dogwood, madrona, and cascara.
Undergrowth, vine maple, hazel, huckleberry, slickleaf, arrowwood,
and salal.

From the cor. of secs. 9, 10, 15, and 16.

S. $88^{\circ} 03'$ W., bet. secs. 9 and 16.Descend 247 ft. along S. slope, changing to SW. slope, through heavy
timber and dense undergrowth.

20.85 Branch, 1 lk. wide, course SW.; desc. 129 ft. over SW. slope.

29.60 Branch, 1 lk. wide, course S. 80° W.; desc. 53 ft. over SW. slope.32.15 North Sister Creek, 30 lks. wide, course N. 70° W.; asc. 146 ft.
over NE. slope.36.78 The $\frac{1}{4}$ sec. cor. of secs. 9 and 16, determined from the original
bearing trees:

A cedar, 30 ins. diam., bears N. 47° E., 11 lks. dist., marked
with a rotted blaze.

A cedar, 30 ins. diam., bears S. 10° W., 30 lks. dist., marked
with a healed blaze. (Record bearing, S. 10° E.)

At the corner point

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground,
with brass cap marked
$$\frac{1}{4} \begin{array}{c} S 9 \\ S 16 \\ 1954 \end{array}$$

from which a new bearing tree

A cedar, 30 ins. diam., bears N. $67\frac{1}{2}^{\circ}$ W., 36 lks. dist., marked
 $\frac{1}{4}$ S9 BT.

N. $89^{\circ} 26'$ W., beginning new measurement.

Ascend 20 ft. over NE. slope.

1.76 Top of ascent on N. slope; desc. 180 ft. over broken NW. slope.

11.80 North Sister Creek, 30 lks. wide, course S. 60° W.; desc. slightly
along bottom.

14.10 Blazed trail, bears NE. and SW.