

Dependent Resurvey of a Portion of the Subdivisional Lines of T. 20 S., R. 8 W.

CHAINS

A fir, 36 ins. diam., bears N. 21° W., 30 lks. dist., marked
BT $\frac{1}{4}$ S on bark.

A fir, 31 ins. diam., bears S. 15° W., 56 lks. dist., marked
BT $\frac{1}{4}$ S on bark. (Record distance, 66 lks.)

At the corner point

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground,
with brass cap marked

$\frac{1}{4}$ S 6
S 7

1954

N. 89° 08' W., beginning new measurement.

Descend 204 ft. over SW. slope.

- 5.44 Branch, 2 lks. wide, course S. 20° E.; asc. 284 ft. over SE. slope.
- 18.36 Spur ridge, bears N. 35° E. and S. 35° W.; desc. 378 ft. over W. slope.
- 25.94 Draw, drains S. 33° W.; asc. 106 ft. over SE. slope.
- 29.93 Spur, slopes S. 10° E.; desc. 165 ft. over SW. slope.
- 35.80 Dry branch, course SE.; asc. 547 ft. over SE. slope.
- 57.04 Ridge, bears NE. and SW.; asc. 14 ft. along N. slope.
- 58.77 The cor. of secs. 6 and 7, on the W. bdy. of the Tp.

Land, mountainous. Soil, rocky clay. Timber, fir, hemlock, maple,
cedar, alder, chinquapin, dogwood, madrona, and cascara. Under-
growth, vine maple, hazel, huckleberry, slickleaf, arrowwood,
and salal.

From the cor. of secs. 5, 6, 7 and 8.

N. 2° 10' E., bet. secs. 5 and 6.

Ascend 181 ft. over S. slope, through heavy timber and dense under-
growth.

- 3.65 Spur ridge, bears N. 80° E. and S. 80° W.; desc. 220 ft. over NW. slope.
- 7.95 Draw, drains. N. 75° W.; asc. 402 ft. over SW. slope.
- 30.20 Ridge, bears N. 55° W. and S. 70° E.; desc. 187 ft. over NE. slope.
- 39.57 Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 6, at proportionate dis-
tance; there is no remaining evidence of the original corner.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground,
with brass cap marked

$\frac{1}{4}$
S 6 | S 5
1954

from which

A cedar, 11 ins. diam., bears S. 26° E., 83 lks. dist., marked
 $\frac{1}{4}$ S5 BT.