

County Surveyor's Record, Douglas County, Oregon

13

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 25 S., R. 7 W.

CHAINS
33.00

Spur, slopes S.; asc. 13 ft. over broken S. slope.

39.93

The cor. of secs. 4, 5, 8 and 9, perpetuated and recorded by J. W. Cole, Deputy County Surveyor, in 1923, from the original bearing trees monumented with a $\frac{3}{4}$ in. iron rod, firmly set, 1 in. above ground, from which the original bearing trees:

An oak, 25 ins. diam., bears N. 70° E., 294 lks. dist., with a healed blaze. (Record distance 275 lks.)

A fallen and rotted oak, 23 ins. diam., bears S. 3° E., 420 lks. dist., with an opened and rotted blaze.

An oak, 32 ins. diam., bears S. $4\frac{3}{4}^{\circ}$ W., 353 lks. dist. (slope dist. 360 lks.), with BT visible on an opened and rotted blaze. (Record bearing and distance, S. 5° W., 360 lks.)

and county surveyor's bearing object:

A boulder, 3x3x2 ft. above ground, with an X chiseled on top, bears S. $36\frac{1}{2}^{\circ}$ E., 75 lks. dist.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap marked

T25S R7W
S 5 S 4
S 8 S 9
1958

from which

A white oak, 23 ins. diam., bears N. $57\frac{3}{4}^{\circ}$ E., 349 lks. dist., mkd. T25S R7W S4 BT.

A white oak, 17 ins. diam., bears S. $4\frac{1}{4}^{\circ}$ E., 198 lks. dist., mkd. T25S R7W S9 BT.

A white oak, 17 ins. diam., bears S. $3\frac{1}{4}^{\circ}$ W., 235 lks. dist., mkd. T25S R7W S8 BT.

A boulder, 5x5x5 ft. above ground, bears N. $22\frac{3}{4}^{\circ}$ W., 151 lks. dist., mkd. X.

Deposit county surveyor's iron rod alongside iron post.

The corner falls on a spur, slopes S. 5° W.

Land, mountainous. Soil, rocky clay. Timber, fir, cedar, hemlock, madrone, and oak; undergrowth, salal, madrone, hazel, fern, and poison oak.

GENERAL DESCRIPTION

The portion of township 25 south, range 7 west, that was resurveyed lies about 10 miles west of the town of Sutherlin, Oregon, and on the north side of the Umpqua River which runs westerly through the south portion of section 9. The area is drained by the Umpqua River and its tributaries, of which Bottle Creek is the largest. Elevations range from 330 ft. above sea level, on the Umpqua River to 2,240 feet above sea level in the southeast corner of section 2. Most of the government lands are covered with heavy stands of timber while a majority of the private holdings have been extensively logged. The predominate species of timber are fir, cedar, hemlock, madrone, and oak, with an understory of hazel, salal, poison oak, madrone, blackberry, fern, Oregon grape, chinquapin, dogwood, and wild rose.