

County Surveyor's Record, Douglas County, Oregon

23

Dependent Resurvey of a Portion of the Subdivisional Lines of T. 20 S., R. 9 W.

CHAINS

A fir, 20 ins. diam., bears S. 23° E., 29 lks. dist.,
marked T20S R9W S25 BT.

A fir, 11 ins. diam., bears S. 70° W., 47 lks. dist.,
marked T20S R9W S26 BT.

A fir, 20 ins. diam., bears N. 67° W., 20 lks. dist.,
marked T20S R9W S23 BT.

Land, mountainous. Soil, sandy clay loam. Timber, fir, cedar,
hemlock, maple, and alder. Undergrowth, vine maple, salmonberry,
evergreen huckleberry, hazel, arrowwood, manzanita, and salal.

N. 89° 03' E., bet. secs. 24 and 25.

Ascend 40 ft. along S. slope, through heavy timber and dense under-
growth.

5.20 Head of ravine, course S. 20° W.; asc. 175 ft. over SW. slope.

14.25 Top of ascent on S. slope; desc. 45 ft. over SE. slope.

16.80 Branch, 1 lk. wide, course S. 10° E.; thence along S. slope.

16.95 Branch, 1 lk. wide, course S. 30° W.; asc. 165 ft. over NW. slope.

24.20 Spur, slopes S. 40° W.; desc. 20 ft. along broken S. slope.

30.50 Branch, 1 lk. wide, course S. 60° W.; asc. 135 ft. over NW. slope,
changing gradually to SW. slope.

39.15 Spur, slopes S. 50° E.; desc. 20 ft. over gentle E. slope.

40.74 The $\frac{1}{4}$ sec. cor. of secs. 24 and 25, determined from the remaining
original bearing tree, as follows:

A fir, 50 ins. diam., bears N. 55° W., 63 lks. dist.,
plainly blazed and healed.

At the corner point

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground,
with brass cap marked

$$\frac{1}{4} \begin{array}{l} S 24 \\ S 25 \\ 1954 \end{array}$$

from which a new bearing tree,

An alder, 20 ins. diam., bears S. 34 $\frac{1}{4}$ ° W., 30 lks. dist.,
marked $\frac{1}{4}$ S25 BT.

The $\frac{1}{4}$ sec. cor. is located in a shallow hollow, extends NW. and SE.

S. 89° 55' E., beginning new measurement.

Descend 50 ft. along S. slope, changing to SE. slope.

2.40 Foot of descent on S. slope; asc. 55 ft. over SW. slope.

9.70 Spur, slopes SE.; desc. 215 ft. over E. slope.

14.60 Head of ravine, course SE.; desc. 30 ft. along broken S. slope.

19.00 Head of ravine, course S.; asc. 125 ft. over broken SW. slope.