

Dependent Resurvey of a Portion of the Subdivisional Lines of T. 20 S., R. 9 W.

CHAINS	<p>Reset the iron post, now 8 ins. above ground, and mark additional bearing trees as follows:</p> <p>A fir, 40 ins. diam., bears S. <math>4\frac{1}{4}^{\circ}</math> E., 38 lks. dist., marked T20S R9W S11 BT.</p> <p>A fir, 27 ins. diam., bears S. <math>66^{\circ} 45'</math> W., 56 lks. dist., marked T20S R9W S10 BT.</p> <p>A fir, 28 ins. diam., bears N. <math>59^{\circ}</math> W., 70 lks. dist., marked T20S R9W S3 BT.</p> <p>Land, mountainous and rolling. Soil, sandy clay loam. Timber, fir, hemlock, cedar, maple, and alder. Undergrowth, vine maple, hazel, arrowwood, evergreen huckleberry, rhododendron, salal, and bracken.</p> <hr/> <p>From the cor. of secs. 1, 2, 11, and 12.</p> <p>S. <math>87^{\circ} 31'</math> W., bet. secs. 2 and 11.</p> <p>Descend 70 ft. over NW. slope, through heavy timber and dense undergrowth.</p> <p>3.70 Branch, 4 lks. wide, course N.; asc. 80 ft. along broken N. slope.</p> <p>13.40 Branch, 1 lk. wide, course N. <math>40^{\circ}</math> E.; asc. 255 ft. over E. slope, changing to broken NE. slope.</p> <p>25.50 Head of ravine, course N. <math>40^{\circ}</math> E.; asc. 80 ft. over E. slope.</p> <p>27.00 Ridge, bears N. <math>20^{\circ}</math> W. and S. <math>20^{\circ}</math> E.; desc. 35 ft. over SW. slope, changing to S. slope.</p> <p>32.50 Flat spur, slopes S. <math>50^{\circ}</math> W.; desc. 310 ft. over NW. slope.</p> <p>39.96 The <math>\frac{1}{4}</math> sec. cor. of secs. 2 and 11, determined from the original bearing trees, as follows:</p> <p>A fir, 60 ins. diam., bears N. <math>29^{\circ}</math> E., 29 lks. dist., marked <math>\frac{1}{4}</math> S BT on bark blaze.</p> <p>A fir, 62 ins. diam., bears S. <math>21^{\circ}</math> E., 13 lks. dist., marked <math>\frac{1}{4}</math> S BT on bark blaze.</p> <p>At the corner point</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap marked</p> <div style="text-align: center;"> <math display="block">\frac{1}{4} \frac{S 2}{S 11}</math> <p>1953</p> </div> <hr/> <p>N. <math>89^{\circ} 24'</math> W., beginning new measurement.</p> <p>Descend 60 ft. over NW. slope.</p> <p>1.90 Dry bed of stream, 3 lks. wide, course S. <math>60^{\circ}</math> W.; asc. 20 ft. along S. slope.</p> <p>5.00 Top of ascent on S. slope; desc. 165 ft. over SW. slope.</p> <p>11.40 Moore Creek, 8 lks. wide, in gravel bed 20 lks. wide, course S. <math>20^{\circ}</math> E.; asc. 240 ft. over general E. slope.</p> <p>16.00 Spur, slopes N. <math>5^{\circ}</math> E., from W.; asc. 100 ft. along back of spur.</p>
--------	--