

Dependent Resurvey of a Portion of the Subdivisional Lines of T. 20 S., R. 9 W.

CHAINS	<p>A fir, 31 ins. diam., bears N. 13° 45' W., 175 lks. dist., marked T20S R9W S29 BT.</p> <p>Land, mountainous. Soil, sandy clay loam. Timber, fir, hemlock, cedar, alder, maple, yew, and dogwood. Undergrowth, vine maple, hazel, arrowwood, rhododendron, salmonberry, evergreen and red huckleberry, and salal.</p> <hr/> <p>From the cor. of secs. 27, 28, 33, and 34.</p> <p>S. 89° 19' W., bet. secs. 28 and 33.</p> <p>Ascend 180 ft. over SE. slope, changing to E. slope, through heavy timber and dense undergrowth.</p> <p>3.50 Spur ridge, bears N. and S.; desc. 120 ft. over W. slope.</p> <p>6.75 Head of ravine, course N. 20° W.; asc. 110 ft. over NE. slope.</p> <p>11.25 Spur, slopes N. 20° W.; desc. 100 ft. over NW. slope.</p> <p>13.80 Head of ravine, course N. 40° W.; asc. 40 ft. over N. slope.</p> <p>18.10 Spur ridge, bears N. 30° W. and SE.; desc. 320 ft. over broken SW. slope.</p> <p>29.00 Ravine, course S. 80° W.; desc. 225 ft. over broken SW. slope.</p> <p>36.00 Enter bottom land; edge bears N. 20° W. and S. 20° E.; desc. 25 ft. across bottom.</p> <p>39.50 Left bank of Smith River, course S. 25° E.</p> <p>40.95 Right bank of Smith River; asc. 335 ft. over NE. slope.</p> <p>42.35 Access road, under construction, bears N. 25° W. and S. 25° E.</p> <p>48.76 The $\frac{1}{4}$ sec. cor. of secs. 28 and 33, at record bearing and distance from the original bearing tree, as follows:</p> <p style="padding-left: 40px;">An alder, 26 ins. diam., bears N. 73$\frac{1}{2}$° E., 11 lks. dist., plainly blazed and healed, but hollow; more recently marked $\frac{1}{4}$ in bark with an axe.</p> <p>At the corner point</p> <p>Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap marked</p> <div style="text-align: center;"> $\begin{array}{c} \frac{1}{4} \text{ S } 28 \\ \frac{1}{4} \text{ S } 33 \\ 1953 \end{array}$ </div> <p>from which new bearing trees,</p> <p style="padding-left: 40px;">A maple, 20 ins. diam., bears N. 66° W., 25 lks. dist., marked $\frac{1}{4}$ S28 BT.</p> <p style="padding-left: 40px;">A fir, 40 ins. diam., bears S. 13$\frac{1}{4}$° E., 55 lks. dist., marked $\frac{1}{4}$ S33 BT.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 89° 33' W., beginning new measurement.</p> <p>Ascend 35 ft. over NE. slope.</p> <p>1.30 Edge of bench, bears N. and S.; asc. 25 ft. along gradual S. slope of bench.</p>
--------	--