

Dependent Resurvey of a Portion of the S. Bdy. of T. 21 S., R. 8 W.

CHAINS

- 2.80 Ravine, drains S. 30° E.; asc. 226 ft. over SE. slope.
- 4.35 Point for the $\frac{1}{4}$ sec. cor. of sec. 1, T. 22 S., R. 8 W., at proportionate distance.
- Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with brass cap marked

$\frac{1}{4}$ S 1
1952

from which

A fir, 42 ins. diam., bears S. 26 $\frac{1}{2}$ ° E., 55 lks. dist., marked $\frac{1}{4}$ S1 BT.

A fir, 55 ins. diam., bears S. 49 $\frac{1}{2}$ ° W., 56 lks. dist., marked $\frac{1}{4}$ S1 BT.

- 8.10 High spur, slopes S.; desc. 114 ft. over SW. slope.
- 19.32 Branch, 6 lks. wide, course SE.; asc. 89 ft. over NE. slope.
- 21.88 Spur, slopes SE.; asc. 253 ft. over E. slope.
- 32.00 A bladed earth road, bears NE. and SW.
- 33.60 Ridge, bears NE. and SW.; desc. 55 ft. over NW. slope.
- 37.15 Head of a ravine, drains N.; asc. slightly along N. slope.
- 39.20 Point for the cor. of secs. 35 and 36 only, determined from the original bearing trees:

A fir, 60 ins. diam., bears N. 20° E., 20 lks. dist., with blaze healed.

A fir, 53 ins. diam., bears N. 70° W., 10 lks. dist., with blaze healed.

At the corner point

Set an iron post, 3 ft. long, 2 ins. diam., 25 ins. in the ground, with brass cap marked

T 21 S R 8 W
S 35 | S 36
S 1
T 22 S R 8 W
1952

from which

A fir, 10 ins. diam., bears N. 39 $\frac{1}{4}$ ° W., 42 lks. dist., marked T21S R8W S35 BT.

SHATTERED STUB ONLY ON SEPT. 16, 1963 J.M.E. H.

Land, mountainous. Soil, rocky clay. Timber, fir, cedar, hemlock, alder, maple, chinquapin, and madrona. Undergrowth, vine maple, hazel, arrowwood, salal, huckleberry, manzanita, ceanothus, and poison oak.

S. 89° 35' W., along the S. bdy. of sec. 35.

Descend 124 ft. over S. slope; through heavy timber and dense undergrowth.

- 8.42 A fir, 30 ins. diam., on line, marked with two notches each on E. and W. sides.