

Dependent Resurvey of the East Boundary of T. 21 S., R. 8 W.

CHAINS

A fir, 38 ins. diam., bears S. $56\frac{1}{2}^\circ$ W., 21 lks. dist., marked T21S R8W S13 BT.

A hemlock, 8 ins. diam., bears N. $59\frac{1}{2}^\circ$ W., 29 lks. dist., marked T21S R8W S12 BT.

Land, mountainous. Soil, sandy clay loam. Timber, fir, hemlock, cedar, maple, alder, yew, and dogwood. Undergrowth, vine maple, hazel, arrowwood, huckleberry, and salal.

N. $0^\circ 20'$ W., bet. secs. 7 and 12.

Descend 95 ft. over steep N. slope, through heavy timber and dense undergrowth.

1.45 Ravine, course N. 80° W.; asc. 55 ft. over SW. slope.

3.50 Top of ascent on W. slope; desc. 160 ft. along W. slope, changing to NW. slope.

15.50 Halfway Creek, 10 lks. wide, course N. 30° E.; asc. 10 ft. along bottom land.

20.50 Edge of bottom, bears N. 30° E. and S. 30° W.; asc. 30 ft. along E. slope.

24.30 Top of ascent on E. slope; desc. 55 ft. along E. slope, changing to NE. slope.

30.40 Left bank of Halfway Creek, course N. 25° W.; thence in creek.

31.35 Right bank of Halfway Creek; asc. 72 ft. over SW. slope.


37.07 A hemlock, 24 ins. diam., on line, marked with two notches each on N. and S. sides.

37.40 The $\frac{1}{4}$ sec. cor. of secs. 7 and 12, determined from the remaining original bearing tree, as follow:

A fallen hemlock, 16 ins. diam., bears S. 65° E., 28 lks. dist., marked $\frac{1}{4}$ S on opened blaze.

At the corner point

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap marked



Fd. OK JULY, 1981
LES ROBERTS M88-22

from which new bearing trees,

A hemlock, 17 ins. diam., bears S. $71\frac{1}{4}^\circ$ E., 28 lks. dist., marked $\frac{1}{4}$ S7 BT.

A hemlock, 14 ins. diam., bears S. $75^\circ 45'$ W., 22 lks. dist., marked $\frac{1}{4}$ S12 BT.

N. $4^\circ 13'$ E., beginning new measurement.

Ascend 27 ft. over SW. slope.

1.40 Top of ascent on W. slope; desc. 9 ft. along W. slope.