

Dependent Resurvey of a Portion of the Subdivisional Lines of T. 21 S., R. 8 W.

CHAINS	
52.70	Ravine, course E.; asc. 100 ft. over SE. slope.
54.90	Right shoulder of spur, slopes SE.; asc. 20 ft. along E. slope.
55.60	Left shoulder of spur, slopes E.; desc. 55 ft. over NE. slope.
57.40	Ravine, course E.; asc. 55 ft. over SE. slope.
59.20	Spur, slopes S. 70° E.; asc. 210 ft. along E. slope, changing to SE. slope.
67.90	Right shoulder of spur, slopes S. 60° E.; asc. 40 ft. along broken E. slope.
71.00	Left shoulder of spur, slopes E.; desc. 40 ft. over NE. slope.
73.00	Head of ravine, course N. 80° E.; asc. 55 ft. over SE. slope.
75.90	Top of ascent on E. slope; desc. 7 ft. along E. slope.
76.90	Head of ravine, course SE.; asc. 108 ft. over SE. slope.
79.51	The cor. of secs. 1, 2, 35, and 36, on the N. bdy. of the Tp., monumented with an iron post, 2 ins. diam., 8 ins. above ground, firmly set, marked and witnessed as described in the official record.
	Land, mountainous. Soil, sandy and rocky clay loam. Timber, fir, hemlock, cedar, maple, alder, yew, chinquapin, dogwood, and madrona. Undergrowth, vine maple, arrowwood, hazel, evergreen huckleberry, rhododendron, red huckleberry, and salal.
	From the cor. of secs. 34 and 35, on S. bdy. of Tp.
	N 0° 04' E., bet. secs. 34 and 35.
	Ascend 234 ft. over SW. slope, changing to W. slope, through heavy timber and dense undergrowth.
2.09	A fir, 47 ins. diam., on line, marked with two notches each on N. and S. sides.
13.00	Low spur, slopes W.; desc. 31 ft. along W. slope.
14.35	Ravine, drains W.; asc. 301 ft. along broken W. slope.
26.85	Spur, slopes W.; desc. 119 ft. over steep N. slope.
28.80	Ravine, drains N. 65° W.; asc. 104 ft. along steep W. slope.
34.10	Spur, slopes W.; desc. 151 ft. over steep NW. slope.
38.05	A spring branch, 1 lk. wide, course W.; asc. 43 ft. over SW. slope.
39.37	Point for the $\frac{1}{4}$ sec. cor. of secs. 34 and 35, determined from the original bearing trees:
	A cedar, 37 ins. diam., bears S. 88° E., 43 lks. dist., with nearly healed blaze.
	A stump hole of a fallen cedar, bears S. 65° W., 27 lks. dist.
	At the corner point
	Set an iron post, 3 ft. long, 1 in. diam., 27 ins. in the ground, with brass cap marked