

Dependent Resurvey of the Subdivisional Lines, T. 23 S., R. 6 W.

CHAINS

$\frac{1}{4}$ S 13
 $\frac{1}{4}$ S 24
 1943

from which

A fir, 45 ins. diam., bears N. 45° E., 82 lks. dist.,
 mkd. $\frac{1}{4}$ S13 BT.

A fir, 16 ins. diam., bears S. 60° W., 65 lks. dist.,
 mkd. $\frac{1}{4}$ S24 BT.

Ascend 34 ft. over E. slope.

43.25 Spur, slopes N. 20° E.; desc. 192 ft. over NW. slope.

58.80 Creek, 1 lk. wide, course N.; asc. 83 ft. over NE. slope.

61.70 Spur, slopes N.; desc. 104 ft. over NW. slope.

65.25 Ravine, drains N. 15° E.; asc. 170 ft. over NE. slope.

68.70 Spur, slopes N. 20° E.; desc. 18 ft. over NW. slope.

72.20 Ravine, drains N.; asc. 30 ft. over NE. slope.

74.75 Spur, slopes N. 30° E.; desc. 128 ft. over NW. slope.

81.60 Ravine, drains N. 15° W.; asc. 6 ft. over NW. slope.

81.90 The cor. of secs. 13, 14, 23, and 24.

Land, mountainous. Soil, clay loam. Timber, fir, hemlock and cedar. Undergrowth, salal, poison oak, vine maple, alder, madrone, maple, rhododendron, chinquapin, and manzanita.

N. 3°39' E., bet. secs. 13 and 14.

Descend 47 ft. along E. slope, through heavy timber and dense undergrowth.

2.90 Creek, 1 lk. wide, course N. 15° W.; desc. 375 ft. along broken W. slope.

28.75 Creek, 3 lks. wide, course N. 30° E.; asc. 124 ft. over SE. slope.

36.24 The $\frac{1}{4}$ sec. cor. of secs. 13 and 14, determined at record bearing and distance from an original bearing tree:

A rotted fir stump, 24 ins. diam., bears S. 40° W.,
 28 lks. dist., mkd. 4 S BT.

At the corner point

Set an iron post, 3 ft. long, 2 ins. diam., 27 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$
 S14 | S13
 1957

from which

A fir, 6 ins. diam., bears S. 47° E., 10 lks. dist.,
 mkd. $\frac{1}{4}$ S13 BT.

A fir, 8 ins. diam., bears W., 62 lks. dist.,
 mkd. $\frac{1}{4}$ S14 BT.