

## Dependent Resurvey of the Subdivisional Lines, T. 23 S., R. 6 W.

CHAINS

Land, mountainous. Soil, clay loam. Timber, fir, hemlock, and cedar. Undergrowth, salal, poison oak, and vine maple.

N.  $4^{\circ}39'$  E., bet. secs. 22 and 23.

Ascend 20 ft. over SW. slope.

1.75 Spur, slopes S.  $45^{\circ}$  E.; desc. 35 ft. over NE. slope.

5.57 Ravine, drains S.  $70^{\circ}$  E.; asc. 363 ft. over S. slope.

9.50 Trail, bears N.  $30^{\circ}$  E. and S.  $60^{\circ}$  W.

10.50 Spur ridge, bears N.  $30^{\circ}$  E. and S.  $60^{\circ}$  W.; desc. 167 ft. over NW. slope.

18.87 Point for the S  $1/16$  sec. cor. of secs. 22 and 23.

Set an iron post, 30 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

S  $1/16$   
 S22 | S23  
 1957

from which

A fir, 9 ins. diam., bears N.  $67\frac{1}{2}^{\circ}$  E., 94 lks. dist.,  
 mkd. S  $1/16$  S23 BT.

A fir, 12 ins. diam., bears S.  $12^{\circ}$  W., 75 lks. dist.,  
 mkd. S  $1/16$  S22 BT.

Descend 412 ft. over NW. slope.

37.745 Point for the  $\frac{1}{4}$  sec. cor. of secs. 22 and 23, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 30 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T23SR6W  
 ↑  
 S22 | S23  
 1957

from which

A fir, 8 ins. diam., bears S.  $78\frac{1}{2}^{\circ}$  E., 26 lks. dist.,  
 mkd.  $\frac{1}{4}$  S23 BT.

A fir, 9 ins. diam., bears N.  $33\frac{1}{2}^{\circ}$  W., 34 lks. dist.,  
 mkd.  $\frac{1}{4}$  S22 BT.

Descend 115 ft. over NW. slope.

42.92 Creek, 3 lks. wide, course N.  $85^{\circ}$  E.; asc. 849 ft. over broken SE. slope.

74.50 Ridge, bears N.  $72^{\circ}$  W. and S.  $72^{\circ}$  E.; desc. 10 ft. over NE. slope.

75.49 Point for the cor. of secs. 14, 15, 22, and 23, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 30 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.