

Dependent Resurvey of the Subdivisional Lines, T. 23 S., R. 6 W.

CHAINS

A fir, 52 ins. diam., bears S. 41° W., 65 lks. dist.,
mkd. T23S R6W S15 BT.

Land, mountainous. Soil, clay loam. Timber, fir, hemlock, and cedar. Undergrowth, salal, poison oak, vine maple, madrone, and bracken fern.

From the cor. of secs. 11, 12, 13, and 14.

S. 87°20' W., bet. secs. 11 and 14.

Ascend 8 ft. over E. slope.

4.20 Road, 20 lks. wide, improved, bears N. 45° W. and S. 45° E.; asc. 210 ft. over steep E. slope.

7.40 Spur ridge, bears N. 20° E. and S. 20° W.; desc. 170 ft. over W. slope.

10.70 Road, 20 lks. wide, improved, bears N. 10° E. and S. 10° W.; desc. 31 ft. over W. slope.

12.55 Ravine, drains N. 10° W.; asc. 92 ft. over E. slope.

17.20 Spur, slopes N.; desc. 147 ft. over NW. slope.

23.00 Creek, 2 lks. wide, course N. 15° E.; asc. 271 ft. over E. slope.

31.00 Spur, slopes N.; desc. 70 ft. over NW. slope.

33.00 Ravine, course N. 10° W.; asc. 78 ft. over NE. slope.

27.70 Ridge, bears S. 20° E. and N. 20° W.; desc. 30 ft. over SW. slope.

39.34 Point for the $\frac{1}{4}$ sec. cor. of secs. 11 and 14, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd.

T23SR6W

$\frac{1}{4}$ $\frac{S 11}{S 14}$

1957

from which

A fir, 6 ins. diam., bears N. 22° W., 6 lks. dist.,
mkd. $\frac{1}{4}$ S11 BT.

A fir, 8 ins. diam., bears S. 9 $\frac{1}{4}$ ° E., 24 lks. dist.,
mkd. $\frac{1}{4}$ S14 BT.

Descend 425 ft. over broken NW. slope.

51.50 Creek, 2 lks. wide, course N. 30° W.; asc. 115 ft. over NE. slope.

58.55 Spur, slopes N. 20° W.; desc. 292 ft. over broken NW. slope.

70.50 Creek, 12 lks. wide, course N. 30° W.; asc. 285 ft. over NE. slope.

78.68 The cor. of secs. 10, 11, 14, and 15.

Land, mountainous. Soil, clay loam. Timber, fir, hemlock, and cedar. Undergrowth, salal, vine maple, poison oak, and salmonberry.