

# County Surveyor's Record, Douglas County, Oregon

## Dependent Resurvey of the Subdivisional Lines, T. 23 S., R. 6 W.

CHAINS 23.40	Creek, 2 lks. wide, course N. 20° E.; asc. 417 ft. along E. slope.
34.40	Spur ridge, bears N. 15° E. and S. 15° W.; desc. 3 ft. over NW. slope.
40.29	Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 27, at proportionate distance; there is no remaining evidence of the original corner.  Set an iron post, 30 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T23SR6W  <math>\frac{1}{4}</math> S 22  <math>\frac{1}{4}</math> S 27            1957         </div> from which  <div style="margin-left: 40px;">             A fir, 8 ins. diam., bears S. 65° E., 30 lks. dist.,              mkd. <math>\frac{1}{4}</math> S27 BT.               A fir, 6 ins. diam., bears N. 13<math>\frac{1}{2}</math>° W., 20 lks. dist.,              mkd. <math>\frac{1}{4}</math> S22 BT.           </div> Descend 102 ft. over NW. slope.
47.50	Creek, 1 lk. wide, course N. 50° E.; asc. 199 ft. over SE. slope.
53.40	Ridge, bears N. 35° E. and S. 35° W.; desc. 228 ft. over NW. slope.
60.30	Ravine, drains N. 5° E.; asc. 225 ft. over SE. slope.
69.50	Ridge, bears N. 45° E. and S. 45° W., road, 20 lks. wide, improved, bears N. 60° E. and S. 60° W. curving S.; desc. 23 ft. over NW. slope, changing to W. slope.
80.58	The cor. of secs. 21, 22, 27, and 28.  Land, mountainous. Soil, clay loam. Timber, fir, hemlock, and cedar. Undergrowth, salal, poison oak, vine maple, salmonberry, and madrone.
	N. 22°23' E., bet. secs. 21 and 22.  Descend 285 ft. over NW. slope.
3.60	Road, unimproved, 20 lks. wide, bears N. 70° W. and S. 70° E.
13.20	Ravine, drains N. 45° W.; asc. 183 ft. over SW. slope.
26.80	Spur, slopes W.; asc. 39 ft. along W. slope.
33.50	Ridge, bears N. 3° W. and S. 3° E.; desc. 195 ft. over NE. slope.
42.17	The $\frac{1}{4}$ sec. cor. of secs. 21 and 22, determined at record bearing and distance from the only remaining bearing tree:  <div style="margin-left: 40px;">             A fir, 36 ins. diam., bears N. 40° E., 46 lks. dist.,              mkd. <math>\frac{1}{4}</math> S BT.           </div> At the corner point  Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the ground, with brass cap mkd.