

## Dependent Resurvey of the Subdivisional Lines, T. 23 S., R. 6 W.

CHAINS

A maple, 12 ins. diam., bears N. 68° W., 116 lks. dist.,  
mkd.  $\frac{1}{4}$  S3 BT.

A white fir, 24 ins. diam., bears S. 6 $\frac{1}{2}$ ° E., 141 lks. dist.,  
mkd.  $\frac{1}{4}$  S10 BT.

Ascend 54 ft. over NE. slope.

41.05 Creek, 3 lks. wide, course N. 50° E.; asc. 227 ft. over NE. slope.

50.60 Spur, slopes N.; desc. 60 ft. over NW. slope.

54.00 Creek, 1 lk. wide, course N. 30° E.; asc. 244 ft. over SE. slope.

62.07 Spur ridge, bears N. 30° E. and S. 30° W.; desc. 104 ft. over NW. slope.

65.16 Creek, 4 lks. wide, course N. 70° E. curves N.; asc. 220 ft. over SE. slope.

72.77 The cor. of secs. 3, 4, 9, and 10.

Land, mountainous. Soil, clay loam. Timber, fir, hemlock, and cedar. Undergrowth, arrowwood, salal, poison oak, vine maple, and salmonberry.

N. 5°46' W., bet. secs. 3 and 4.

Descend 25 ft. over E. slope.

10.52 Spur, slopes N. 70° E.; desc. 308 ft. over broken N. slope.

18.16 Ravine, drains N. 80° E.; asc. 31 ft. over S. slope.

24.52 Spur ridge, bears E. and W.; desc. 191 ft. over broken NE. slope.

33.09 Creek, 6 lks. wide, course S. 50° E.; asc. 15 ft. over S. slope.

34.17 Plank road, deteriorated, 15 lks. wide, bears N. 45° W. and S. 45° E.; asc. 285 ft. over SW. slope.

42.51 Point for the  $\frac{1}{4}$  sec. cor. of secs. 3 and 4, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, with brass cap mkd.

$\frac{1}{4}$   
 S 4 | S 3  
 1955

from which

A chinquapin, 15 ins. diam., bears S. 74° E., 40 lks. dist.,  
mkd.  $\frac{1}{4}$  S3 BT.

A fir, 18 ins. diam., bears N. 77° W., 87 lks. dist.,  
mkd.  $\frac{1}{4}$  S4 BT.

Ascend 182 ft. over W. slope, changing to SW. slope.

52.50 Top of ascent on W. slope; desc. 76 ft. over NW. slope.

56.80 Creek, 1 lk. wide, course S. 50° W.; asc. 300 ft. over broken S. slope.