

Dependent Resurvey of the Subdivisional Lines, T. 23 S., R. 6 W.

CHAINS
40.35

Ridge, bears S. 45° E. and N. 45° W.; desc. 600 ft. over W. slope.

61.13

Gully, drains N. 60° W.; desc. 232 ft. over NW. slope, changing to W. slope.

71.34

The cor. of secs. 28, 29, 32, and 33.

Land, mountainous. Soil, sandy loam, rock outcroppings. Timber, fir, hemlock, and cedar. Undergrowth, vine maple, poison oak, salmonberry, alder, and madrone.

N. 21°07' W., bet. secs. 28 and 29.

Descend 89 ft. over NW. slope.

4.99

Creek, 15 lks. wide, course S. 40° W.; asc. 65 ft. over SE. slope.


9.85

Spur, slopes E.; asc. 130 ft. over NE. slope.

20.56

Point for the S 1/16 sec. cor. of secs. 28 and 29.

Set an iron post, 30 ins. long, 2 ins. diam., 20 ins. in the ground and in a mound of stone, 3 ft. base, to top, with brass cap mkd.



from which

A maple, 15 ins. diam., bears S. 49½° E., 44 lks. dist., mkd. S 1/16 S28 BT.

A fir, 20 ins. diam., bears S. 30° W., 27 lks. dist., mkd. S 1/16 S29 BT.

Ascend 299 ft. over E. slope.


38.85

Ridge, bears E. and W.; desc. 56 ft. over NE. slope.

41.12

Point for the ¼ sec. cor. of secs. 28 and 29, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 30 ins. long, 2 ins. diam., 20 ins. in the ground, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.



from which

A fir, 15 ins. diam., bears N. 88° E., 26 lks. dist., mkd. ¼ S28 BT.

A fir, 27 ins. diam., bears S. 45° W., 28 lks. dist., mkd. ¼ S29 BT.

Descend 167 ft. over N. slope.

44.46

Gully, drains N. 80° W.; asc. 549 ft. over SW. slope.