

Dependent Resurvey of the Subdivisional Lines, T. 23 S., R. 6 W.

CHAINS  
42.915

Point for the  $\frac{1}{4}$  sec. cor. of secs. 9 and 16, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 30 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T23SR6W  
 $\frac{1}{4}$   $\frac{S}{S}$   $\frac{9}{16}$   
1957

from which

A fir, 14 ins. diam., bears N.  $77\frac{1}{2}^\circ$  E., 15 lks. dist., mkd.  $\frac{1}{4}$  S9 BT.

A fir, 14 ins. diam., bears S.  $12\frac{1}{2}^\circ$  W., 49 lks. dist., mkd.  $\frac{1}{4}$  S16 BT.

Descend 235 ft. over W. slope.

64.37

Point for the S  $\frac{1}{16}$  sec. cor. of secs. 9 and 16.

Set an iron post, 30 ins. long, 2 ins. diam., 26 ins. in the ground, with brass cap mkd.

W  $\frac{1}{16}$   $\frac{S}{S}$   $\frac{9}{16}$   
1957

*Ed. 3/90 CS 43/104*

from which

A fir, 16 ins. diam., bears N.  $66^\circ$  W., 39 lks. dist., mkd. W  $\frac{1}{16}$  S9 BT.

A fir, 9 ins. diam., bears S.  $20^\circ$  E., 32 lks. dist., mkd. W  $\frac{1}{16}$  S16 BT.

Descend 64 ft. over W. slope.

67.00

Creek, 10 lks. wide, course N.  $10^\circ$  W.; asc. 654 ft. over steep NE. slope.

85.50

Ridge, bears N.  $9^\circ$  W. and S.  $9^\circ$  E.; desc. 15 ft. over W. slope.

85.83

The cor. of secs. 8, 9, 16, and 17.

Land, portion of the E.  $\frac{1}{2}$  mile level, W.  $\frac{1}{2}$  mile mountainous. Soil, clay loam. Timber, fir, hemlock, and cedar. Undergrowth, salal, vine maple, arrowwood, alder, and poison oak.

N.  $10^\circ 13'$  E., bet. secs. 8 and 9.

Descend 9 ft. along W. slope.

1.00

Ridge, bears N.  $9^\circ$  W. and S.  $9^\circ$  E.; desc. 662 ft. over steep NE. slope.

18.01

Point for the S  $\frac{1}{16}$  sec. cor. of secs. 8 and 9.

Set an iron post, 30 ins. long, 2 ins. diam., 28 ins. in the ground, with brass cap mkd.

S  $\frac{1}{16}$   
S8 | S9  
1957