

Dependent Resurvey of the Subdivisional Lines, T. 23 S., R. 6 W.

CHAINS

A cedar, 28 ins. diam., bears N. 32° W., 55 lks. dist.,
mkd. T23S R6W S5 BT.

Land, mountainous. Soil, clay loam. Timber, fir, hemlock, and cedar. Undergrowth, salal, vine maple, alder, madrone, arrowwood, and poison oak.

From the cor. of secs. 3, 4, 9, and 10.

S. 62°16' W., bet. secs. 4 and 9.

Ascend 130 ft. over SE. slope, changing to S. slope.

12.38 Creek, 1 lk. wide, course E.; asc. 523 ft. over NE. slope, changing to N. slope.

29.74 Spur, slopes S. 70° E.; asc. 31 ft. over SE. slope, changing to E. slope.

36.65 Ridge, bears N. 20° E. and S. 10° W.; desc. 5 ft. over W. slope.

36.95 Trail, bears N. 10° E. and S. 10° W.; desc. 122 ft. over W. slope, changing to SW. slope.

41.02 The $\frac{1}{4}$ sec. cor. of secs. 4 and 9, determined at record bearing and distance from the original NE. bearing trees:

A fir, 24 ins. diam., bears N. 13° E., 22 lks. dist.,
mkd. $\frac{1}{4}$ S9 CS.

A fir, 54 ins. diam., bears S. 75° W., 36 lks. dist.,
mkd. $\frac{1}{4}$ S9 CS.

At the corner point

Set an iron post, 3 ft. long, 1 in. diam., 30 ins. in the ground, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.

$\frac{1}{4}$ $\frac{S}{S}$ $\frac{4}{9}$
1955

from which

A fir, 38 ins. diam., bears N. 4 $\frac{1}{2}$ ° E., 34 lks. dist.,
mkd. $\frac{1}{4}$ S4 BT.

N. 88°52' W., beginning new measurement.

Descend 923 ft. over steep SW. slope, changing to W. slope.

30.00 Creek, 5 lks. wide, course S.; asc. 210 ft. over steep E. slope.

33.71 The cor. of secs. 4, 5, 8, and 9.

Land, mountainous. Soil, clay loam. Timber, fir, hemlock, and cedar. Undergrowth, salal, vine maple, arrowwood, and poison oak.

N. 9°00' W., bet. secs. 4 and 5.

Ascend 460 ft. over steep SE. slope.

20.64 Ridge, bears N. 15° E. and S. 15° W.; asc. 72 ft. along broken W. slope.