

Dependent Resurvey of a Portion of the N. Bdy., T. 26 S., R. 2 W.

CHAINS

A down and rotted fir, 6 ins. diam., bears S. 40° E., 10 lks. dist., with scribe marks S5 BT visible on an opened and rotted blaze.

A down and rotted fir, 15 ins. diam., bears S. 50° W., 32 lks. dist., with scribe marks T26S R visible on an opened and rotted blaze.

and locally established bearing trees

A fir, 13 ins. diam., bears S. 75° W., 53 lks. dist., with an opened blaze, no scribe marks visible.

A fir, 15 ins. diam., bears N. 14½° W., 13 lks. dist., with a healed blaze.

add two new bearing trees

A fir, 24 ins. diam., bears S. 68° E., 75 lks. dist., mkd. T26S R2W S5 BT.

A fir, 14 ins. diam., bears S. 30° W., 36 lks. dist., mkd. T26S R2W S5 BT.

Land, mountainous. Soil, rocky clay and rock outcroppings. Timber, fir, cedar, hemlock, pine, yew, maple, chinquapin, dogwood, and madrone; undergrowth, huckleberry, vine maple, ocean spray, hazel, rhododendron, manzanita, salal, blackberry and Oregon grape.

Dependent Resurvey of a Portion of the W. Bdy., T. 26 S., R. 2 W.
(Restoring the 1855 survey by Addison R. Flint,
retraced by Charles M. Collier in 1913)

From the cor. of secs. 7, 12, 13, and 18, on the W. bdy. of the Tp. determined at record bearing and distance from each of the two remaining original bearing trees:

A rotted cedar snag, 44 ins. diam., bears N. 60° E., 23 lks. dist., with no marks remaining.

A hemlock, 26 ins. diam., bears N. 40° W., 16 lks. dist., with illegible scribe marks visible on a partially opened and rotted blaze.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., 20 ins. in the ground, and in a mound of stone, 1½ ft. base, to top, with brass cap mkd.

	T 26 S	
R 3 W	R 2 W	
S 12	S 7	
S 13	S 18	
	1959	

*FD. OK 1/10/78 - G. LANGLITS
DOUG. CO. SURVEYOR'S OFFICE
O.S. 57/46*

from which

A fir, 50 ins. diam., bears N. 59¼° E., 111 lks. dist., mkd. T26S R2W S7 BT.

A cedar, 24 ins. diam., bears S. 69½° E., 60½ lks. dist., mkd. T26S R2W S18 BT.