

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey of a Portion of the W. Bdy., T. 26 S., R. 2 W.

CHAINS	
	<p>A cedar, 16 ins. diam., bears S. $70\frac{1}{2}^\circ$ W., 48 lks. dist., mkd. T26S R3W S13 BT.</p> <p>A cedar, 16 ins. diam., bears N. 57° W., 49 lks. dist., mkd. T26S R3W S12 BT.</p> <p>N. $0^\circ 08'$ E., bet. secs. 7 and 12, marking and blazing the true line.</p> <p>Descend 255 ft. over NW. slope, changing to N. slope, along E. edge of logged area, through scattering timber and dense undergrowth.</p>
18.03	Creek, 20 lks. wide, course NE.; asc. 124 ft. over SE. slope.
21.10	Abandoned dirt access road, 20 lks. wide, bears NE. and SW.
27.05	Spur, slopes NE.; desc. 224 ft. over NE. slope.
30.60	Abandoned dirt access road, 25 lks. wide, bears NW. curving to N., and SE. curving to S.
39.91	<p>The $\frac{1}{4}$ sec. cor. of secs. 7 and 12, marked by a mound of stone, 3 ft. base, $1\frac{1}{2}$ ft. high, from which the only remaining original bearing tree:</p> <p style="padding-left: 40px;">A down and rotted fir stump, 22 ins. diam., bears S. 15° W., 20 lks. dist., no scribe marks visible, but cruiser mark X on bark.</p> <p>and locally established bearing trees</p> <p style="padding-left: 40px;">A fir, 50 ins. diam., bears N. 45° E., 49 lks. dist., mkd. with a Weyerhaeuser metal bearing tree tag.</p> <p style="padding-left: 40px;">A fir, 20 ins. diam., bears S. 63° W., 54 lks. dist., mkd. with a Weyerhaeuser metal bearing tree tag.</p> <p>At the corner point, at center of mound of stone</p> <p>Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 10 ins. in the ground, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 26 S</p> <p>R 3 W R 2 W</p> <p style="margin: 0 10px;">↑</p> <p>S 12 S 7</p> <p style="margin: 0 10px;">↓</p> <p>1959</p> </div> <p>from which new bearing trees</p> <p style="padding-left: 40px;">A cedar, 15 ins. diam., bears N. $81\frac{1}{2}^\circ$ E., $70\frac{1}{2}$ lks. dist., mkd. $\frac{1}{4}$ S7 BT.</p> <p style="padding-left: 40px;">A cedar, 12 ins. diam., bears N. 62° W., 30 lks. dist., mkd. $\frac{1}{4}$ S12 BT.</p>
	<p style="text-align: center;">_____</p> <p>N. $0^\circ 23'$ E., beginning new measurement.</p> <p>Descend 83 ft. over NE. slope, through heavy timber and dense undergrowth.</p>
2.27	Left bank of North Umpqua River, course NW.
7.27	Right bank of North Umpqua River; asc. 461 ft. over SW. slope.