

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 26 S., R. 2 W.

CHAINS

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 26 ins. in the ground, with brass cap mkd.

T 26 S R 2 W
 $\frac{S 6}{S 7} | \frac{S 5}{S 8}$
 1959

from which

A fir, 13 ins. diam., bears N. 25° E., 130 lks. dist., mkd. T26S R2W S5 BT.

A fir, 19 ins. diam., bears S. $71\frac{1}{2}^\circ$ E., 90 lks. dist., mkd. T26S R2W S8 BT.

A fir, 20 ins. diam., bears S. $40\frac{1}{2}^\circ$ W., 87 lks. dist., mkd. T26S R2W S7 BT.

A fir, 38 ins. diam., bears N. $21\frac{1}{2}^\circ$ W., $55\frac{1}{2}$ lks. dist., mkd. T26S R2W S6 BT.

Land, mountainous. Soil, rock and rocky clay. Timber, fir, cedar, hemlock, pine, maple, alder and yew; undergrowth, salal, huckleberry poison oak, hazel, manzanita, chinquapin, ocean spray, vine maple and rhododendron.

From the cor. of secs. 4, 5, 8, and 9.

S. $84^\circ 03'$ W., bet. secs. 5 and 8.

Descend 227 ft. over SW. slope, changing to W. slope, through heavy timber and scattering undergrowth.

5.05 Ravine, drains SW.; desc. 2 ft. along S. slope.

6.78 Spur, slopes SW.; desc. 87 ft. over SW. slope.

10.23 Ravine, drains S. 20° E.; asc. 781 ft. over E. slope, changing to NE. slope.

30.10 Ridge, bears N. and S.; desc. 344 ft. over W. slope.

39.24 Point for the $\frac{1}{4}$ sec. cor. of secs. 5 and 8, at proportionate distance; there is no remaining evidence of the original corner.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 20 ins. in the ground, and in a mound of stone, 3 ft. base, to top, with brass cap mkd.

T 26 S R 2 W
 $\frac{\frac{1}{4} S 5}{S 8}$
 1959

from which

A fir, 10 ins. diam., bears N. $40\frac{1}{2}^\circ$ W., 10 lks. dist., mkd. $\frac{1}{4}$ S5 BT.

A fir, 16 ins. diam., bears S. $25\frac{3}{4}^\circ$ E., 29 lks. dist., mkd. $\frac{1}{4}$ S8 BT.

Descend 354 ft. over W. slope.

47.68 Ravine, drains S. 30° W.; desc. 215 ft. along S. slope, changing to SW. slope.