

## County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 23 S., R. 1 W.

| CHAINS |  |
|--------|--|
|        | $E \frac{1}{16} \frac{S \ 23}{S \ 26}$ 1960  |
|        | from which   |
|        | A fir, 12 ins. diam., bears N. 16° E., 21 lks. dist., mkd. E 1/16 S23 BT.  |
|        | A fir, 6 ins. diam., bears S. 19° W., 8 lks. dist., mkd. E 1/16 S26 BT.  |
|        | Descend 841 ft. over NW. slope.  |
| 39.26  | Point for the $\frac{1}{4}$ sec. cor. of secs. 23 and 26, at proportionate distance; thereis no remaining evidence of the original corner.                     |
|        | Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, and in a mound of stone, 3 ft. base to top, with brass cap mkd.              |
|        | $T \ 23 \ S \ R \ 1 \ W$ $\frac{1}{4} \frac{S \ 23}{S \ 26}$ 1960  |
|        | from which   |
|        | A hemlock, 6 ins. diam., bears N. 9° W., 65 lks. dist., mkd. $\frac{1}{4}$ S23 BT.   |
|        | A hemlock, 12 ins. diam., bears S. 28° W., 20 lks. dist., mkd. $\frac{1}{4}$ S26 BT.   |
| 46.20  | Ravine, drains NW.; asc. 58 ft. over SE. slope.  |
| 58.40  | Top of ascent, slopes N; desc. 167 ft. over NW. slope.   |
| 63.25  | Creek, 4 lks. wide, course N.; asc. 454 ft. over Broken NE. slope.   |
| 78.52  | The cor. of secs. 22, 23, 26 and 27.   |
|        | Land, mountainous.<br>Soil, rocky and clay loam<br>Timber, fir, cedar, hemlock, and madrona.<br>Undergrowth, salal, vine maple, and reproduction.              |
|        | N. 2° 51' W., bet. secs. 22 and 23.  |
|        | Descend 367 ft. over N. slope, through heavy timber and dense undergrowth.   |
| 8.10   | Clark Creek, 15 lks. wide, course E.; asc. 888 ft. over SE. slope  |
| 37.26  | Spur, slopes NE.; desc. 42 ft. over NE. slope.   |
| 39.98  | Point for the $\frac{1}{4}$ sec. cor. of secs. 22 and 23, at proportionate distance; there is no remaining evidence of the original corner.                    |
|        | Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, and in a mound of stone, $2\frac{1}{2}$ ft. base to top, with brass cap mkd. |
|        | $T \ 23 \ S \ R \ 1 \ W$ $S \ 22 \ \frac{1}{4} \ S \ 23$ 1960  |
|        | from which   |