

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey of Portion of Subdivisional Lines of T. 19 S., R. 9 W.

CHAINS	<p>A fir, 22 ins. diam., bears N. 73° E., 32 lks. dist., blazed and healed.</p> <p>A fir snag, 10 ins. diam., bears S. 23° W., 24 lks. dist., blazed and healed.</p> <p>and a new bearing tree:</p> <p>A fir, 28 ins. diam., bears N. 80° W., 97 lks. dist., mkd. $\frac{1}{4}$ S8 BT.</p> <p>N. 0° 46' E., bet. secs. 8 and 9.</p> <p>Descend 115 ft. over N. slope.</p> <p>5.10 Ravine, course NW.; asc. 260 ft. over SW. slope.</p> <p>15.10 Spur, slopes NW.; desc. 360 ft. over N. slope.</p> <p>27.80 Sheepherder Creek, 6 lks. wide, course W.; asc. 260 ft. over SW. slope.</p> <p>39.18 The cor. of secs. 4, 5, 8 and 9, mkd. by a fir, 11 ins. diam., plainly blazed and healed, from which the original bearing trees are as follows:</p> <p>A fir snag, 10 ins. diam., bears N. 69° E., 13 lks. dist., with healed blaze.</p> <p>A fir, 12 ins. diam., bears S. 63° E., 9 lks. dist., with healed blaze.</p> <p>A fir, 28 ins. diam., bears S. 50° W.; 26 lks. dist., with healed blaze.</p> <p>A fir, 14 ins. diam., bears N. 33° W., 6 lks. dist., with healed blaze. (Record bearing. N. 43° W.)</p> <p>and a new bearing tree:</p> <p>A fir, 20 ins. diam., bears N. 61$\frac{1}{4}$° E., 50 lks. dist., mkd. T19S R9W S4 BT.</p> <p>Corner is on top of ridge, bears E. and W.</p> <p>Land, mountainous. Soil, sandy clay loam. Timber, fir, hemlock, cedar, maple, alder, chinquapin, and dogwood. Undergrowth, vine maple, salmonberry, arrowwood, hazel, evergreen huckleberry, red huckleberry, and sword fern.</p> <hr/> <p>From the cor. of secs. 3, 4, 9 and 10.</p> <p>N. 89° 20' W., bet. secs. 4 and 9.</p> <p>Descend 100 ft. over W. slope, through heavy timber and dense undergrowth.</p> <p>4.20 Branch, 3 lks. wide, course S.; asc. 274 ft. over broken SE. slope.</p> <p>36.50 Ridge, bears N. 80° E. and S. 80° W.; desc. 150 ft. along broken N. slope.</p> <p>39.41 Point for the $\frac{1}{4}$ sec. cor. of secs. 4 and 9, at proportionate distance; there is no remaining evidence of the original corner.</p> <p>Set an iron post, 28 ins. long, 2$\frac{1}{2}$ ins. diam., 22 ins. in the ground, with brass cap mkd.</p>
--------	--

*Fd. O.K. by
MULKINS & STUNTZNER
MARCH 1983
M 94-21 A, B, C
S+ R.M.*