

County Surveyor's Record, Douglas County, Oregon
-17-

Subdivision of Section 35, T. 23 S., R. 7 W.

CHAINS	Descend 117 ft. over SW. slope, changing to S. slope.
68.40	Branch, 2 lks. wide, course S.; asc. 139 ft. over general E. slope.
77.00	The $\frac{1}{4}$ sec. cor. of secs. 34 and 35.
	From the W $\frac{1}{16}$ sec. cor. of sec. 35 only, on the S. bdy. of the Twp.
	N. $0^{\circ} 50'$ W., along the N. and S. center line of the SW $\frac{1}{4}$ of sec.35.
	Ascend 918 ft. over general S. slope, through logged area.
26.00	Spur, slopes SW.; desc. 76 ft. over NW. slope.
38.45	Branch, 2 lks. wide, course SW.; asc. 2 ft. over S. slope.
39.20	The center W $\frac{1}{16}$ sec. cor. of sec. 35.
	From the center N $\frac{1}{16}$ sec. cor. of sec. 35.
	S. $88^{\circ} 55'$ W., along the E. and W. center line of the NW $\frac{1}{4}$ of sec. 35.
	Descend 476 ft. along precipitous N. slope and the N. edge of logged area.
36.66	The N. $\frac{1}{16}$ sec. cor. of secs. 34 and 35.
	GENERAL DESCRIPTION
	The lands included in the notes of the foregoing survey are located along the Umpqua River about 15 miles northwesterly from Sutherlin, Oregon. The area is drained by the Umpqua River and a number of small tributaries. The elevation ranges from about 210 feet above sea level on the Umpqua River to about 1,800 feet above sea level near the center of section 35.
	Access is by way of a privately owned dirt road extending into section 35 from State Highway Number 225, which runs between Elkton and Sutherlin.
	Soil in the area is composed of sandy clay loam, from a few inches to several feet in depth. There are a number of bluffs along the right bank of the Umpqua River. The bottom lands along the river are cultivated or are used as pasturage for sheep and cattle, however, the higher lands are forested with fir, hemlock, cedar, maple, oak, alder, chinquapin, and madrone timber; with undergrowth of vine maple, hazel, arrowwood, salmonberry, huckleberry, blackberry, thimbleberry, salal, poison oak, willow, and fern.
	No evidence of mineral was noted in the area covered by the resurvey.
	The average of a considerable number of readings throughout the area gives a value of $19^{\circ} 47'$ E. from the mean magnetic declination. There is a range of $4^{\circ} 43'$ in local attraction.