

County Surveyor's Record, Douglas County, Oregon

3

Dependent Resurvey, Subdivisional Lines, T. 30 S., R. 9 W.

CHAINS

- 1.50 Spur, slopes W.; desc. 40 ft. over NW. slope.
- 4.15 Creek, 8 lks. wide, course S. 60° W., asc. 75 ft. over SW. slope.
- 5.25 The top of a rock bluff, 30 ft. high, faces S.; asc. 135 ft. over SE. slope.
- 24.40 Spur, slopes E.; desc. 55 ft. over NE. slope.
- 27.15 Ravine, drains S. 80° E.; asc. 115 ft. over SE. slope.
- 40.18 The cor. of secs. 5, 6, 7, and 8, determined at record distance from the original bearing trees:

A fir, 40 ins. diam., bears N. $84\frac{1}{2}^{\circ}$ E., $34\frac{1}{2}$ lks. dist., with open and burned blaze. (Record bearing, N. $94\frac{1}{2}^{\circ}$ E.)

A fir, 27 ins. diam., bears S. $40\frac{1}{2}^{\circ}$ E., $36\frac{1}{2}$ lks. dist., with scribe marks S R9 visible on opened blaze.

A stump hole, bears S. 54° W., $25\frac{1}{2}$ lks. dist.

A fir stub, 9 ins. diam., bears N. $78\frac{1}{2}^{\circ}$ W., 14 lks. dist., with partial scribe mark in negative on overgrowth.

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap marked

T 30 S. R 9 W.			
S 6	S 5		
S 7	S 8		
1962			

*FD. OR 1/15/01
H. JOHNSON
M 86-63 & M87-20*

from which new bearing trees:

A fir, 36 ins. diam., bears N. 11° E., 36 lks. dist., marked T30S R9W S5 BT.

A cedar, 27 ins. diam., bears S. $30\frac{3}{4}^{\circ}$ E., 64 lks. dist., marked T30S R9W S8 BT.

A fir, 33 ins. diam., bears S. 47° W., 48 lks. dist., marked T 30S R9W S7 BT.

A fir, 23 ins. diam., bears N. $56\frac{1}{2}^{\circ}$ W., 45 lks. dist., marked T30S R9W S6 BT.

Land, mountainous.

Soil, sandy clay.

Timber, fir, hemlock, cedar, oak, myrtle, alder, and chinquapin; undergrowth, fern, salal, vine maple, Oregon grape, hazel, huckleberry, and rhododendron.

From the cor. of secs. 4, 5, 8, and 9, monumented with the original basalt stone, 14 x 14 x 8 ins., firmly set 10 ins. in the ground, marked with 5 notches on the S. and 4 on the E. edge, from which the original bearing trees:

A sawed fir stump, 35 ins. diam., bears N. 83° E., $38\frac{1}{2}$ lks. dist., with no marks remaining.