

County Surveyor's Record, Douglas County, Oregon  
-13-

Remonumentation of Certain Original Corner Points, T. 25 S., R. 2 W.

CHAINS

and bearing trees marked by Hosford in 1957

A hemlock, 8 ins. diam., bears N. 27° E., 39 lks. dist., with scribe marks S15 253 BT visible on unhealed blaze.

A hemlock, 11 ins. diam., bears S. 20° W., 133 lks. dist., with scribe marks S21 253 BT visible on unhealed blaze.

A cedar, 11 ins. diam., bears N. 43° W., 22 lks. dist., with scribe marks S16 253 BT visible on unhealed blaze.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., 20 ins. in the ground to solid rock, and in a mound of stone, 2½ ft. base, to top, with brass cap marked

T 25 S R 2 W  
S 16 | S 15  
S 21 | S 22  
1962

from which a new bearing tree

A cedar, 20 ins. diam., bears S. 23½° E., 87 lks. dist., marked T25S ~~R2W~~ S22 BT.

← R2W

Deposit the iron pipe alongside the iron post.

The ¼ sec. cor. of secs. 15 and 22, monumented with a basalt stone, 24 x 10 x 6 ins. above ground, marked X on top and ¼ on the N. face, perpetuated and recorded by V. W. Hosford in 1957 by driving an iron pipe, 36 ins. long, 1½ ins. diam., 20 ins. in the ground, alongside corner stone, from which the original bearing trees:

A hemlock, 18 ins. diam., bears N. 39° W., 8 lks. dist., with fragmentary scribe marks visible on partly healed blaze (Record distance, 7 lks.)

A cedar snag, 13 ins. diam., bears S. 15° E., 32 lks. dist., with no marks remaining on rotted blaze. (Record bearing, S. 18° E.)

and a bearing tree marked by Hosford

A hemlock, 30 ins. diam., bears S. 54½° W., 33 lks. dist., with scribe marks ¼ S22 253 BT visible on unhealed blaze.

At the corner point

Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap marked

¼ S 15  
¼ S 22  
T 25 S R 2 W  
1962

Deposit the original corner stone and reset iron pipe alongside the iron post.

The cor. of secs. 9, 10, 15 and 16, monumented with a basalt stone, 14 x 10 x 8 ins., firmly set 10 ins. in the ground, marked with 4 notches on S. and 3 notches on the E. edge, from which the original bearing trees:

\* Per research  
3/23/05 JC  
DCSO