

County Surveyor's Record, Douglas County, Oregon

Remonumentation of Certain Original Corner Points, T. 25 S., R. 2 W.

CHAINS

The cor. of secs. 16, 17, 20 and 21, monumented with a basalt stone, 16 x 10 x 8 ins., firmly set 8 ins. in the ground, marked with 3 notches on the S. and 4 notches on the E. edge, from which the only remaining original bearing tree:

A fir, 40 ins. diam., bears N. 48° W., 48 lks. dist., with a healed blaze. (Record bearing and distance, N. 45° W., 46 lks.)

At the corner point

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, & in a mound of stone, 2 ft. base, to top, with brass cap marked

T 25 S R 2 W
S 17 | S 16
S 20 | S 21
1962

from which new bearing trees

A chinquapin, 9 ins. diam., bears N. $17\frac{1}{4}^{\circ}$ E., 17 lks. dist., marked T25S R2W S16 BT.

A hemlock, 13 ins. diam., bears S. 77° E., $59\frac{1}{2}$ lks. dist., marked T25S R2W S21 BT.

A cedar, 21 ins. diam., bears S. 87° W., 54 lks. dist., marked T25S R2W S20 BT.

Deposit the original corner stone alongside the iron post.

The $\frac{1}{4}$ sec. cor. of secs. 16 and 21, perpetuated and recorded by Ben Irving, County Surveyor, in 1948, monumented with an iron pipe, 1 in. diam., protruding 4 ins. above the ground, with brass cap marked

COUNTY SURVEYOR
T 25 S
 $\frac{1}{4}$ S 16 | S 21
R 2 W
OFFICE

from which the only remaining original bearing tree

A sawed fir stump, 20 ins. diam., bears S. 39° E., 29 lks., dist., with scribe marks S21 visible on opened blaze.

and a tree marked by Ben Irving, County Surveyor, in 1948

A cedar, 28 ins. diam., bears S. $35\frac{1}{4}^{\circ}$ W., 339 lks. dist., with scribe marks $\frac{1}{4}$ S21 CS BT visible on unhealed double blaze.

and a tree marked by J. W. Byron, Deputy County Surveyor, in 1960

A cedar, 23 ins. diam., bears N. 58° E., 99 lks. dist., with scribe marks $\frac{1}{4}$ S16 CS BT on unhealed double blaze.

Add marks BLM 1962 to brass cap.

The $\frac{1}{4}$ sec. cor. of secs. 16 and 17, determined at record distance from the original bearing trees: