

Dependent Resurvey, Subdivisional Lines, T. 24 S., R. 2 W.

CHAINS
7.05

Point for the NW. cor. of Tract No. 40, sec. 36.

Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, and in a small mound of stone, with brass cap mkd.
$$\begin{array}{r} T\ 24\ S\ R\ 2\ W \\ S\ 35\ |S\ 36 \\ TR\ 39\ |TR\ 40 \\ 1963 \end{array}$$

from which

A fir, 32 ins. diam., bears N. $61\frac{1}{4}^{\circ}$ E., 53 lks. dist., mkd. S36 BT.A fir, 30 ins. diam., bears S. $21\frac{1}{2}^{\circ}$ E., 36 lks. dist., mkd. TR40 S36 BT.

Descend 20 ft. over NW. slope.

8.03 Point for the NE. cor. of Tract No. 39, sec. 35.

Set an iron post, 36 ins. long, 2 ins. diam., 32 ins. in the ground, with brass cap mkd.

$$\begin{array}{r} T\ 24\ S\ R\ 2\ W \\ S\ 35\ |S\ 36 \\ TR\ 39\ | \\ 1963 \end{array}$$

from which

A sugar pine, 13 ins. diam., bears S. $80\frac{1}{4}^{\circ}$ W., 90 lks. dist., mkd. TR39 S35 BT.A fir, 16 ins. diam., bears N. $31\frac{1}{2}^{\circ}$ W., 37 lks. dist., mkd. S35 BT.

Descend 270 ft. over NW. slope.

17.10 Creek, 15 lks. wide, course N. 75° W.; asc. 57 ft. over SW. slope.18.37 The $\frac{1}{4}$ sec. cor. of secs. 35 and 36, determined at record bearing and distance from the original SW. bearing tree:A fir, 20 ins. diam., bears S. 32° W., 16 lks. dist., partial scribe marks visible.

At the corner point

Set an iron post, 36 ins. long, 1 in. diam., 28 ins. in the ground, with brass cap mkd.

FD. 2/54 BEN IRVING
CS 45/257 SEE FILE
PR ADD'L INFO.

$$\begin{array}{r} \frac{1}{4} \\ S\ 35\ |S\ 36 \\ 1951 \end{array}$$

from which

A fir, 14 ins. diam., bears N. $77\frac{1}{2}^{\circ}$ E., 51 lks. dist., mkd. $\frac{1}{4}$ S36 BT.A fir, 14 ins. diam., bears N. 63° W., 56 lks. dist., mkd. $\frac{1}{4}$ S35 BT.