

County Surveyor's Record, Douglas County, Oregon

CHAINS	<p>Dependent Resurvey, Subdivisional Lines, T. 24 S., R. 8 W. N. 3° 06' W., bet. secs. 20 and 21.</p> <p>Ascend 50 ft. over S. slope, changing to E. slope, through heavy timber and moderate undergrowth.</p> <p>8.45 Spur, slopes N. 70° E.; desc. 170 ft. over NE. slope.</p> <p>14.30 Creek, 5 lks. wide, course S. 60° E.; asc. 425 ft. over SW. slope, changing to S. slope.</p> <p>37.20 Dirt road, bears E. and W., dead ends approximately 5 chains W.</p> <p>37.70 Ridge and Bateman Lookout Road, 25 lks. wide, bears E. and W., curving NW.; desc. 15 ft. over N. slope.</p> <p>39.97 The $\frac{1}{4}$ sec. cor. of secs. 20 and 21, determined from the remains of the original bearing trees and at the N. end of the original blazed line extending S.</p> <p>from which the original bearing trees</p> <p style="padding-left: 40px;">A downed fir, 35 ins. diam., bears S. 53° E., 119 lks. dist., no marks visible. (Record dist., 139 lks.)</p> <p style="padding-left: 40px;">A fir, 40 ins. diam., bears N. 23° W., 49 lks. dist., no marks visible.</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long $2\frac{1}{2}$ ins. diam., 24 ins. in the ground, with brass cap marked</p> <div style="text-align: center;"> $\begin{array}{c} \frac{1}{4} \\ \text{S } 20 \text{ } \text{S } 21 \\ \text{T } 24 \text{ S } \text{ } \text{R } 8 \text{ W} \\ 1962 \end{array}$ </div> <p>from which new bearing trees</p> <p style="padding-left: 40px;">A fir, 18 ins. diam., bears S. 18° E., 59 lks. dist., mkd. $\frac{1}{4}$ S21 BT.</p> <p style="padding-left: 40px;">A fir, 18 ins. diam., bears S. 77° W., 61 lks. dist., mkd. $\frac{1}{4}$ S20 BT.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 1° 48' W., beginning new measurement.</p> <p>Descend 190 ft. over NE. slope, through heavy timber and moderate undergrowth.</p> <p>8.00 Creek, 3 lks. wide, course E.; asc. 230 ft. over SE. slope.</p> <p>20.60 Spur, slopes N. 75° E.; desc. 275 ft. over NE. slope.</p> <p>30.65 Creek, 4 lks. wide, course S. 70° E.; asc. 205 ft. over S. slope.</p> <p>39.67 The cor. of secs. 16, 17, 20 and 21, determined at record bearing and distance from the remaining original bearing trees.</p>
--------	--