

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Subdivisional Lines, T. 26 S., R. 3 W.

CHAINS					
	<p>A fir, 6 ins. diam., bears N. 19° E., 61 lks. dist., mkd. N 1/16 S15 BT.</p> <p>A fir, 6 ins. diam., bears N. 60° W., $4\frac{1}{2}$ lks. dist., mkd. N 1/16 S16 BT.</p> <p>Descend 101 ft. over NW. slope.</p>				
67.20	Spur, slopes NW.; desc. 124 ft. over NW. slope.				
69.26	Creek, 2 lks. wide, course NE.; desc. 15 ft. over NE. slope.				
70.24	Creek, 2 lks. wide, course E.; desc. 11 ft. over NE. slope.				
72.09	Ravine, drains NE.; asc. 8 ft. over SE. slope.				
73.71	Top of ascent, slopes E.; desc. 2 ft. over gentle NE. slope.				
75.41	Foot of descent, slopes E.; asc. 14 ft. over SE. slope.				
80.52	<p>The cor. of secs. 9, 10, 15, and 16, monumented with an old gate post and perpetuated by Fred Mensch, U. S. Cadastral Surveyor, in 1924, with an iron post, 2 ins. diam., firmly set, protruding 9 ins. above the ground, with brass cap marked</p> <div style="text-align: center;"> <table border="0"> <tr><td>T 26 S R 3 W</td></tr> <tr><td> S 9 S 10</td></tr> <tr><td> S 16 S 15</td></tr> <tr><td> 1924</td></tr> </table> </div> <p>from which the remains of one original bearing tree</p> <p style="padding-left: 40px;">A sugar pine stump hole with roots and fragments of bark, bears S. 85° E., 24 lks. dist.</p> <p>and one bearing tree marked by Mensch, in 1924</p> <p style="padding-left: 40px;">A fir stump shell, bears N. $74\frac{1}{2}^{\circ}$ W., 150 lks. dist., with fragment of old blaze bearing scribe marks BT.</p> <p>and County Surveyor's bearing trees, marked by G.G. Stewart, in 1922</p> <p style="padding-left: 40px;">A sawed fir stump, 42 ins. diam., bears S. 8° W., 90 lks. dist., with no apparent marks.</p> <p style="padding-left: 40px;">A fir, 36 ins. diam., bears N. 40° W., 93 lks. dist., with scribe marks BT on old twisted blaze.</p> <p>and new bearing trees</p> <p style="padding-left: 40px;">A fir, 9 ins. diam., bears N. 21° E., 23 lks. dist., mkd. T26S R3W S10 BT.</p> <p style="padding-left: 40px;">A fir, 34 ins. diam., bears S. 30° E., 66 lks. dist., mkd. T26S R3W S15 BT.</p> <p style="padding-left: 40px;">A cedar, 16 ins. diam., bears S. $51\frac{1}{2}^{\circ}$ W., 238 lks. dist., mkd. T26S R3W S16 BT.</p> <p style="padding-left: 40px;">A fir, 9 ins. diam., bears N. $19\frac{1}{2}^{\circ}$ W., 27 lks. dist., mkd. T26S R3W S9 BT.</p>	T 26 S R 3 W	S 9 S 10	S 16 S 15	1924
T 26 S R 3 W					
S 9 S 10					
S 16 S 15					
1924					