

## County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Subdivisional Lines. T. 26 S., R. 3 W.

## CHAINS

- 3.75 Ridge, bears N. and S.; desc. 134 ft. over W. slope, changing to SW. slope.
- 13.40 Dirt road, 10 lks. wide, bears N.  $40^{\circ}$  W. and S.  $40^{\circ}$  E.
- 16.13 Woven and barbed wire fence bears N.  $25^{\circ}$  E. and S.  $25^{\circ}$  W.
- 16.50 Creek, 1 lk. wide, course S.  $20^{\circ}$  W.; desc. 30 ft. over SW. slope.
- 19.96 Point for the E  $1/16$  sec. cor. of secs. 21 and 28.  
Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap marked
- E  $1/16$   $\frac{S\ 21}{S\ 28}$   
T 26 S R 3 W  
1963
- from which
- A fir, 11 ins. diam., bears N.  $49\frac{1}{2}^{\circ}$  W., 32 lks. dist., mkd. E  $1/16$  S21 BT.
- A fir, 11 ins. diam., bears S.  $38^{\circ}$  E., 32 lks. dist., mkd. E  $1/16$  S28 BT.
- Descend 420 ft. over SW. slope.
- 33.65 Creek, 2 lks. wide, course S.  $50^{\circ}$  W.; asc. 47 ft. over SE. slope.
- 39.92 Point for the  $\frac{1}{4}$  sec. cor. of secs. 21 and 28, at proportionate distance; there is no remaining evidence of the original corner.  
Set an iron post, 28 ins. long,  $2\frac{1}{2}$  ins. diam., 24 ins. in the ground, with brass cap marked
- $\frac{1}{4}$   $\frac{S\ 21}{S\ 28}$   
T 26 S R 3 W  
1963
- from which
- A fir, 18 ins. diam., bears N.  $4\frac{1}{4}^{\circ}$  E., 51 lks. dist., mkd.  $\frac{1}{4}$  S21 BT.
- A fir, 15 ins. diam., bears S.  $42\frac{1}{2}^{\circ}$  E., 36 lks. dist., mkd.  $\frac{1}{4}$  S28 BT.
- Ascend 16 ft. over SE. slope.
- 41.10 Spur, slopes S.  $15^{\circ}$  W.; desc. 9 ft. over SW. slope.
- 42.08 From this point a local corner bears South, 0.25 chains dist., in a N. and S. fence line, monumented with a fir stake, 2 ins. square, firmly set, protruding 36 ins. above the ground, marked  $\frac{1}{4}$  S21 on the N. and  $\frac{1}{4}$  S28 on the S., from which a local bearing tree:
- A split and fallen fir, still in the ground, 14 ins. diam., bears N.  $56\frac{1}{2}^{\circ}$  E., 28 lks. dist., mkd.  $\frac{1}{4}$  S 2 CS BT on bark blaze.
- 42.50 Draw, drains S.  $10^{\circ}$  E.; asc. 14 ft. over SE. slope, through open rolling prairie.