

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Subdivisional Lines, T. 22 S., R. 6 W.

CHAINS

from which

A peach tree, 7 ins. diam., bears N. $43\frac{3}{4}^{\circ}$ E.,
35 lks. dist., mkd. T22S R6W S10 BT.

An ash, 13 ins. diam., bears S. $84\frac{1}{4}^{\circ}$ E., 167 lks.
dist., mkd. T22S R6W S15 BT.

A cedar, 25 ins. diam., bears S. $75\frac{1}{2}^{\circ}$ W., 250 lks.
dist., mkd. T22S R6W S16 BT.

An apple, 9 ins. diam., bears N. $58\frac{1}{4}^{\circ}$ W., 11 lks.
dist., mkd. T22S R6W S9 BT.

Land, nearly level.

Soil, clay, loam.

Timber, fir, oak, ash; alder; maple and cedar; under-
growth, hazel, salal, blackberry, poison oak, willow,
ferns and vines.

From the cor. of secs. 10, 11, 14, and 15.

N. $89^{\circ} 59'$ W., bet. secs. 10 and 15.

Descend 275 ft. over SW. slope, changing to W. slope,
through open pasture.

11.05 Gravel road, 25 lks. wide, bears N. 40° W. and S. 40° E.

35.30 Gravel driveway, 20 lks. wide, bears N. and S.

39.00 Jack Creek, 10 lks. wide, course S.; asc. 10 ft. over
gentle E. slope.40.44 The $\frac{1}{4}$ sec. cor. of secs. 10 and 15, established at pro-
portionate measurement by Ben B. Irving in 1928. This
point was renewed by N. E. Richardson in 1949 and in
1961, Milo E. Godfrey, Deputy County Surveyor, remonu-
mented this point with an iron post, $1\frac{1}{2}$ ins. diam.,
firmly set, protruding 6 ins. above the ground, with
brass cap marked

COUNTY SURVEYORS OFFICE

T 22 S R 6 W

 $\frac{1}{4}$ S 10

S 15

1961

from which bearing objects by Godfrey

An X, 3 x 3 ins. chiseled on top of lower part of
bridge railing at the NW. cor. of the highway
bridge, bears S. $58\frac{3}{4}^{\circ}$ E., 171 lks. dist.

An iron rod, $\frac{3}{4}$ ins. diam., protruding 3 ins. above
the ground, bears S. $\frac{1}{2}^{\circ}$ E., 41 lks. dist.

A brace pole, 10 ins. diam., No. (6-76A 77A),
bears S. $62\frac{1}{2}^{\circ}$ W., 82 lks. dist.

A power pole, 12 ins. diam., No. (DE 73), bears
N. $69\frac{1}{4}^{\circ}$ W., 210 lks. dist.

N. $89^{\circ} 53'$ W., beginning/new measurement.

Ascend 25 ft. over gentle E. slope.