

County Surveyor's Record, Douglas County, Oregon

Dependent Resurvey, Subdivisional Lines, T. 22 S., R. 6 W.

CHAINS

40.81

The cor. of secs. 9, 10, 15, and 16.

Land, nearly level.

Soil, clay and loam.

Timber, oak, fir, ash, alder, and maple; undergrowth, blackberry, poison oak, and willow.

From the cor. of secs. 15, 16, 21, and 22.

S. 89° 47' W., bet. secs. 16 and 21.

Descend 275 ft. over NW. slope, through medium timber and undergrowth, along old woven wire fence.

9.80 Old fence, bears N. and E.

10.00 Creek, 3 lks. wide, course N.; asc. 305 ft. over E. slope, changing to NE. slope.

27.00 Spur, slopes N.; desc. 170 ft. over NW. slope.

39.54 Point for the $\frac{1}{4}$ sec. cor. of secs. 16 and 21, at proportionate distance; there is no remaining evidence of the original corner.Set an iron post, 28 ins. long, $2\frac{1}{2}$ ins. diam., 14 ins. in the ground, to solid rock, and in a mound of stone, 3 ft. base, to top, with brass cap marked $\frac{1}{4}$ S 16
S 21T 22 S R 6 W
1963*See map
of
T. 22 S. R. 6 W.
6/21/12*

from which

A fir, 39 ins. diam., bears N. 55 $\frac{1}{2}$ ° E., 4 $\frac{1}{2}$ lks. dist., mkd. $\frac{1}{4}$ S16 BT.A fir, 44 ins. diam., bears S. 63° W., 73 $\frac{1}{2}$ lks. dist., mkd. $\frac{1}{4}$ S21 BT.

Descend 185 ft. over NW. slope, changing to W. slope, along S. edge of logged area.

58.75 Creek, 3 lks. wide, course N.; asc. 480 ft. over SE. slope.

79.08 The cor. of secs. 16, 17, 20, and 21, recovered and recorded by Milo E. Godfrey, Deputy County Surveyor, in 1961, monumented with a corner tree, a fir, 26 ins. diam., mkd. with a healed blaze on the N. S., E., and W. sides. I remark this tree, T22S S16 on NE. side, R6W S21 on SE. side, S20 on SW. side, and S17 on NW. side, from which the remains of the original bearing trees

A fir, 32 ins. diam., bears N. 5° E., 25 lks. dist., mkd. with a healed blaze.

A fir, 45 ins. diam., bears S. 33 $\frac{1}{2}$ ° E., 72 lks. dist., 69 lks. dist. to face, mkd. W 6 on opened blaze. (Record, S. 32° E., 69 lks.)A fir, 40 ins. diam., bears N. 37 $\frac{1}{2}$ ° W., 47 lks. dist., no marks visible on opened blaze. (Record bearing, N. 40° W.)